CARRY THE FUTURE®

CONSUMER CATALOG

SUPPRESSORS

FN RUSH™ 9Ti 7
FN CATCH 22™ Ti 9

PISTOLS 11

FN REFLEX™ 13
FN REFLEX™ MRD 15
FN 510™ MRD 17
FN 510™ TACTICAL 19
FN 545™ MRD 21
FN 545™ TACTICAL 23
FN HIGH POWER™ 25
FNX™ SERIES 27
FNX™-45 TACTICAL 29
FN FIVE-SEVEN® 31
FN FIVE-SEVEN® MRD 33
FN 502™ MRD 35
FN 502™ TACTICAL 37
FN 509® FAMILY 39
FN 509® COMPACT 41
FN 509® COMPACT MRD 43
FN 509® COMPACT TACTICAL 45
FN 509 CC EDGE™ 47
FN 509® MIDSIZE 49
FN 509® MIDSIZE MRD 51
FN 509® MIDSIZE TACTICAL 53
FN 509® 55
FN 509® TACTICAL 57
FN 509 LS EDGE™ 59
FN SCAR® 15P 61

RIFLES 63

FN SCAR® 20S NRCH 65
FN SCAR® 16S/17S NRCH 67
FN SCAR® REAR STOCK/NRCH KIT 69
FN 15® GUARDIAN™ 71
FN 15® TAC3/TAC3 DUTY 73
FN 15® SRP G2 74
FN 15® PATROL CARBINE M-LOK 75
FN 15® DMR3 77
FN 15® M4/M16 MILITARY COLLECTOR 78
FN M249S®/FN M249S® PARA 79
FN® PS90™ 81

FN 5.7X2.8 AMMUNITION 82

ACCESSORIES 84

PRODUCT SPECIFICATIONS 92

FN CUSTOMER CONTACT 96

POLICE

CARRY THE FUTURE.

WHY CARRY THE FUTURE?

Built to Handle The Battlefront and now available on the home front, FN firearms are as tough, accurate, and reliable in your hands as they are in the hands of our nation's protectors. From compact pistols and shotguns to rifles and more, every FN firearm takes uncertainty out of the equation, so you can depend on them – every minute of every day.

FN RUSH™ 9Ti

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PRIMARY FEATURES

- REDUCED GAS JETTING TO FACE
- RELIABLE FEED AND EXTRACTION WITH FACTORY AMMUNITION
- PERFECTED WITH THE FN 509 TACTICAL, INCLUDED PISTON MOUNTS TO ANY 1/2" X 28 THREADED BARREL
- ULTIMATE STRENGTH TO WEIGHT RATIO, TRIM TITANIUM TUBE
- EFFECTIVE SOUND REDUCTION WITHOUT THE BLOWBACK
- ½" X 28 TPI PISTON AND BOOSTER ASSEMBLY INCLUDED

HIGH PERFORMANCE

- ACCURACY AND CYCLING RELIABILITY FN OWNERS DEMAND
- INCLUDED SPRING AND ½" X 28 PISTON
- TIGHT PISTON GAS SEAL CONTAINS GASES IN THE BAFFLE CORE CUTS BLOWBACK AND RECOIL
- SUPPRESSOR-HEIGHT SIGHTS UNOBSCURED

VERSATILE

- RELIABLE AND SMOOTH SHOOTING EXPERIENCE ACROSS AMMO TYPES AND PISTOL HOSTS
- ADVANCED BOOSTER MAINTAINS SLIDE TIMING, PREVENTING CYCLE FAILURES
- BREAKS DOWN EASILY FOR MAINTENANCE, USER-SERVICEABLE BAFFLE STACK

DURABLE

- REDUCED RECOIL AND LOW BACK PRESSURE PRESERVES HOST PISTOL AND SUPPRESSOR LIFE SPAN
- DESIGNED FOR HIGH-CYCLE COUNTS
- BLAST CHAMBER AND BAFFLES DIFFUSE GAS TO STABILIZE PRESSURES, CUTTING BLOWBACK
- LIMITED LIFETIME WARRANTY

LIGHTWEIGHT

- PERFECTED BALANCE OF STRENGTH:WEIGHT AT ONLY 10.8 OZ.
- TITANIUM HYBRID CONSTRUCTION WITH PROGRESSIVELY PORTED ALUMINIUM BAFFLE STACK
- 1.375" TUBE CLEARS SUPPRESSOR-HEIGHT IRON SIGHTS

CALIBER: 9MM

LENGTH: 7.3"

TUBE DIAMETER: 1.375"

WEIGHT: 10.8 OZ.

MATERIALS: TITANIUM, STAINLESS STEEL, ALUMINUM

FINISH: HT CERAKOTE™

FULL FN RUSH™ 9Ti SPECS: PAGE 92 – ACCESSORIES 84

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
96-100717	FN RUSH 9TI FDE 9MM SUPPRESSOR	845737016159
96-100718	FN RUSH 9TI BLK 9MM SUPPRESSOR	845737016142

LEARN MORE>>>

FN CATCH 22™ Ti

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PRIMARY FEATURES

- RELIABLE FEED AND EXTRACTION WITH FACTORY AMMUNITION
- PERFECTED WITH THE FN 502 TACTICAL, INCLUDED 1/2"X28 MOUNT FOR RIFLES AND PISTOLS
- ULTIMATE STRENGTH TO WEIGHT RATIO, TRIM TITANIUM TUBE
- SELF-SERVICE BAFFLE STACK FOR FAST CLEANING
- CLEARS FN SUPPRESSOR-HEIGHT IRON SIGHTS

VERSATILE

- RELIABLE AND SMOOTH SHOOTING EXPERIENCE ACROSS AMMO TYPES
- BREAKS DOWN EASILY FOR MAINTENANCE

DURABLE

- ACCURACY AND CYCLING RELIABILITY TESTED TO HIGH ROUND COUNTS
- DESIGNED FOR HIGH-CYCLE COUNTS
- LIMITED LIFETIME WARRANTY

LIGHTWEIGHT

- PERFECTED BALANCE OF STRENGTH: WEIGHT AT ONLY 5 OZ.
- TITANIUM HYBRID CONSTRUCTION WITH PROGRESSIVELY PORTED ALUMINUM BAFFLE STACK
- 1.12" TUBE CLEARS SUPPRESSOR-HEIGHT IRON SIGHTS

CALIBER: 22 LR, 22 MAG, 22 WMR, 17 HMR

LENGTH: 5.25"

TUBE DIAMETER: 1.12"

WEIGHT: 5 OZ.

MATERIALS: TITANIUM, STAINLESS STEEL, ALUMINUM

FINISH: HT CERAKOTE™, BLACK OR FLAT DARK EARTH

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
96-100837	FN CATCH 22 TI FDE 22LR SUPPRESSOR	845737017040
96-100838	FN CATCH 22 TI BLK 22LR SUPPRESSOR	845737017187

FULL FN CATCH 22™ Ti SPECS: PAGE 92 – ACCESSORIES 84

LEARN MORE>>>

WE ARE PROTECTORS.

Manufactured to perfection.

Handguns built with a purpose: protecting our legacy.

The vision set forth by John M. Browning continues to inspire our pistol line. From the iconic FN Five-seveN,® the FN 509® Tactical, and FN 509® striker-fired, polymer-framed pistols to the compact and powerful FN 509® Compact, no other manufacturer can match our history, heritage, knowledge, and experience.

Depend on the battle-tested know-how of FN for peace of mind on the home front.

HIGH POWER
FN COLUMBIA, SC USA

FN REFLEX™

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PRIMARY FEATURES

- MAX CAPACITY MIRCO COMPACT PERFECTED FOR CONCEALMENT
- ADVANCED ERGONOMICS FOR CONTROL AND SHOOTABILITY
- HAMMER-FORGED BARREL

SLIDE

- 1-INCH WIDTH FOR COMFORT AND CONCEALMENT
- EASY GRIP FRONT AND REAR SLIDE CUTS
- LOW SLIDE RACKING FORCE
- STEEL DOVETAIL FRONT TRITIUM SIGHT WITH HIGH VISIBILITY ORANGE DOT, REAR DOUBLE-DOT SIGHT
- LONG-WEARING PVD FINISH

FRAME

- INTERNAL HAMMER-FIRED SAO TRIGGER
- SMOOTH 5-LB TRIGGER PULL
- IN-MOLD STIPPLED GRIP
- REVERSIBLE MAGAZINE RELEASE
- SLIM LINE RAIL MOUNT FOR SUB COMPACT LIGHTS

MAGAZINE

- EASY-TO-LOAD MAGAZINES
- 11-RD MAGAZINE WITH PINKY AND FLUSH-FIT BASE PADS
- 15-RD MAGAZINE EXTENDS FRAME FOR A FULL-HAND GRIP

BARREL

- COLD HAMMER-FORGED, TARGET-CROWNED FOR ACCURACY
- POLISHED CHAMBER AND RAMP ENSURE FEED RELIABILITY

CALIBER: 9MM | MAGAZINE: 11 & 15 RD.

BARREL LENGTH: 3.3" | OVERALL LENGTH: 6.2"

WEIGHT: 18.5 OZ

OPERATION: INTERNAL HAMMER-FIRED SAO

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
66-101409	FN REFLEX FDE/FDE 1X11+1X15	845737016234
66-101408	FN REFLEX BLK/BLK 1X11+1X15	845737016227
66-101413	FN REFLEX FDE/FDE 2X10	845737016272
66-101412	FN REFLEX BLK/BLK 2X10	845737016265

FULL FN REFLEX™ SPECS: PAGE 92 – ACCESSORIES 84

LEARN MORE>>>

FN REFLEX™ MRD

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PRIMARY FEATURES

- MAX CAPACITY MIRCO COMPACT PERFECTED FOR CONCEALMENT
- ADVANCED ERGONOMICS FOR CONTROL AND SHOOTABILITY
- MICRO RED DOT-READY MILLED SLIDE
- HAMMER-FORGED BARREL

SLIDE

- DIRECT MOUNTS MORE THAN 6 MRDS INSTANTLY
- 1-INCH WIDTH FOR COMFORT AND CONCEALMENT
- EASY GRIP FRONT AND REAR SLIDE CUTS
- LOW SLIDE RACKING FORCE
- STEEL DOVETAIL FRONT TRITIUM SIGHT, REAR DOUBLE-DOT SIGHT
- LONG-WEARING PVD FINISH

FRAME

- INTERNAL HAMMER-FIRED SAO TRIGGER
- SMOOTH 5-LB TRIGGER PULL
- IN-MOLD STIPPLED GRIP
- REVERSIBLE MAGAZINE RELEASE
- RAIL MOUNT FOR SUB COMPACT LIGHTS

MAGAZINE

- EASY-TO-LOAD MAGAZINES
- 11-RD MAGAZINE WITH PINKY AND FLUSH-FIT BASE PADS
- 15-RD MAGAZINE EXTENDS FRAME FOR A FULL-HAND GRIP

BARREL

- COLD HAMMER-FORGED, TARGET-CROWNED FOR ACCURACY
- POLISHED CHAMBER AND RAMP ENSURE FEED RELIABILITY

CALIBER: 9MM | MAGAZINE: 11 & 15 RD.

BARREL LENGTH: 3.3" | OVERALL LENGTH: 6.2"

WEIGHT: 18.5 OZ

OPERATION: INTERNAL HAMMER-FIRED SAO

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
66-101411	FN REFLEX MRD FDE/FDE 1X11+1X15	845737016258
66-101410	FN REFLEX MRD BLK/BLK 1X11+1X15	845737016241
66-101415	FN REFLEX MRD FDE/FDE 2X10	845737016296
66-101414	FN REFLEX MRD BLK/BLK 2X10	845737016289

FULL FN REFLEX™ MRD SPECS: PAGE 92 – ACCESSORIES 84

LEARN MORE>>>

FN 510™ MRD

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PRIMARY FEATURES

- 15+1 ROUNDS OF 10MM AUTO
- LOW-PROFILE OPTICS MOUNTING SYSTEM™
- PRECISION-TUNED TRIGGER WITH CLEAN BREAK
- ENHANCED GRIP FRAME FOR UNMATCHED CONTROL

SLIDE

- SLIDE CUT TO MOUNT MOST OPTICS, NO GUNSMITH NEEDED
- MACHINED STEEL WITH FRONT AND REAR COCKING SERRATIONS, LOADED CHAMBER INDICATOR
- DRIFTABLE STEEL SIGHTS CO-WITNESS WITH MOST MRD OPTICS
- HIGH-ENDURANCE CONICAL STRIKER

BARREL

- 4.1" COLD HAMMER-FORGED, TARGET CROWNED FOR ENDURING ACCURACY
- POLISHED FEED RAMP AND CHAMBER FOR FEED RELIABILITY

FRAME

- SUPERIOR BALANCE AND GRIP TEXTURE DAMPEN RECOIL TO MASTER CONTROL
- TARGET-GRADE TRIGGER BREAKS CLEAN AT ≈6-LBS
- AMBIDEXTROUS CONTROLS MIRROR RIGHT AND LEFT
- TWO INCLUDED BACKSTRAPS PERFECT FIT IN HAND
- TWO 15-RD FLUSH FIT MAGAZINE, NICKEL-COATED STEEL BODY

CALIBER: 10MM | MAGAZINE: 10/15 RD.

WEIGHT: 31 OZ.

LENGTH: 7.7"

BARREL LENGTH: 4.1"

SIGHTS: FIXED, CO-WITNESS HEIGHT DAY SIGHTS

OPERATION: DOUBLE-ACTION, STRIKER-FIRED

FULL FN 510™ MRD SPECS: PAGE 92 – ACCESSORIES 84

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
66-101379	FN 510 MRD BLK/BLK 2X15	845737015626
66-101380	FN 510 MRD FDE/FDE 2X15	845737015640
66-101381	FN 510 MRD BLK/BLK 2X10	845737015633
66-101382	FN 510 MRD FDE/FDE 2X10	845737015657

LEARN MORE>>>

FN 510™ TACTICAL

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PRIMARY FEATURES

22+1 ROUNDS OF 10MM AUTO

LOW-PROFILE OPTICS MOUNTING SYSTEM™

PRECISION-TUNED TRIGGER WITH CLEAN BREAK

ENHANCED GRIP FRAME FOR UNMATCHED CONTROL

SLIDE

SLIDE CUT TO MOUNT MOST OPTICS, NO GUNSMITH NEEDED

MACHINED STEEL WITH FRONT AND REAR COCKING SERRATIONS, EMPTY CHAMBER INDICATOR

TRITIUM LAMP STEEL DOVETAIL SIGHTS, CO-WITNESS WITH MOST MRD OPTICS

HIGH-ENDURANCE CONICAL STRIKER

BARREL

4.5" COLD HAMMER-FORGED, TARGET CROWNED FOR ENDURING ACCURACY

POLISHED FEED RAMP AND CHAMBER FOR FEED RELIABILITY

THREADED .578"X28 TO MOUNT COMPENSATORS AND SUPPRESSORS

FRAME

SUPERIOR BALANCE AND GRIP TEXTURE DAMPEN RECOIL AND ALLOW MASTER CONTROL

TARGET-GRADE TRIGGER BREAKS CLEAN AT ≈6-LBS

AMBIDEXTROUS CONTROLS MIRROR RIGHT AND LEFT

TWO INCLUDED BACKSTRAPS PERFECT FIT IN HAND

INCLUDES ONE 22-RD EXTENDED AND ONE 15-RD FLUSH FIT MAGAZINE, NICKEL-COATED STEEL BODY

CALIBER: 10MM | MAGAZINE: 15/22 RD.

WEIGHT: 32 OZ.

LENGTH: 8.3"

BARREL LENGTH: 4.71"

SIGHTS: FIXED 3-DOT NIGHT

OPERATION: DOUBLE-ACTION, STRIKER-FIRED

FULL FN 510™ TACTICAL SPECS: PAGE 92 – ACCESSORIES 84

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
66-101375	FN 510 T BLK/BLK NS1X15, 1X22	845737015596
66-101376	FN 510 T FDE/FDE NS 1X15, 1X22	845737015602
66-101377	FN 510 T BLK/BLK NS 2X10	845737015589
66-101378	FN 510 T FDE/FDE NS 2X10	845737015619

LEARN MORE>>>

FN 545™ MRD

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PRIMARY FEATURES

- 15+1 ROUNDS OF .45 ACP
- LOW-PROFILE OPTICS MOUNTING SYSTEM™
- PRECISION-TUNED TRIGGER WITH CLEAN BREAK
- ENHANCED GRIP FRAME FOR UNMATCHED CONTROL

SLIDE

- SLIDE CUT TO MOUNT MOST OPTICS, NO GUNSMITH NEEDED
- MACHINED STEEL WITH FRONT AND REAR COCKING
- SERRATIONS, LOADED CHAMBER INDICATOR
- DRIFTABLE STEEL SIGHTS CO-WITNESS WITH MOST MRD OPTICS
- HIGH-ENDURANCE CONICAL STRIKER

BARREL

- 4.1" COLD HAMMER-FORGED, TARGET CROWNED FOR ENDURING ACCURACY
- POLISHED FEED RAMP AND CHAMBER FOR FEED RELIABILITY

FRAME

- SUPERIOR BALANCE AND GRIP TEXTURE DAMPEN RECOIL TO MASTER CONTROL
- TARGET-GRADE TRIGGER BREAKS CLEAN AT ≈6-LBS
- AMBIDEXTROUS CONTROLS MIRROR RIGHT AND LEFT
- TWO INCLUDED BACKSTRAPS PERFECT FIT IN HAND
- TWO 15-RD MAGAZINES, NICKEL-COATED STEEL BODY

CALIBER: .45 ACP | MAGAZINE: 10/15 RD.

WEIGHT: 30 OZ.

LENGTH: 7.7"

BARREL LENGTH: 4.1"

OPERATION: DOUBLE-ACTION, STRIKER-FIRED

SIGHTS: FIXED, CO-WITNESS HEIGHT DAY SIGHTS

FULL FN 545™ MRD SPECS: PAGE 92 – ACCESSORIES 84

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
66-101387	FN 545 MRD BLK/BLK 2X15	845737015701
66-101388	FN 545 MRD FDE/FDE 2X15	845737015725
66-101389	FN 545 MRD BLK/BLK 2X10	845737015718
66-101390	FN 545 MRD FDE/FDE 2X10	845737015732

LEARN MORE>>>

FN 545™ TACTICAL

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PRIMARY FEATURES

- 18+1 ROUNDS OF .45 ACP
- LOW-PROFILE OPTICS MOUNTING SYSTEM™
- PRECISION-TUNED TRIGGER WITH CLEAN BREAK
- ENHANCED GRIP FRAME FOR UNMATCHED CONTROL

SLIDE

- SLIDE CUT TO MOUNT MOST OPTICS, NO GUNSMITH NEEDED
- MACHINED STEEL WITH FRONT AND REAR COCKING SERRATIONS, EMPTY CHAMBER INDICATOR
- TRITIUM LAMP STEEL DOVETAIL SIGHTS, CO-WITNESS WITH MOST MRD OPTICS
- HIGH-ENDURANCE CONICAL STRIKER

BARREL

- 4.5" COLD HAMMER-FORGED, TARGET CROWNED FOR ENDURING ACCURACY
- POLISHED FEED RAMP AND CHAMBER FOR FEED RELIABILITY
- THREADED .578"X28 TO MOUNT COMPENSATORS AND SUPPRESSORS

FRAME

- SUPERIOR BALANCE AND GRIP TEXTURE DAMPEN RECOIL AND ALLOW MASTER CONTROL
- TARGET-GRADE TRIGGER BREAKS CLEAN AT ≈6-LBS
- AMBIDEXTROUS CONTROLS MIRROR RIGHT AND LEFT
- TWO INCLUDED BACKSTRAPS PERFECT FIT IN HAND
- INCLUDES ONE 18-RD EXTENDED AND ONE 15-RD MAGAZINE, NICKEL-COATED STEEL BODY

CALIBER: .45 ACP | MAGAZINE: 15/18 RD.

WEIGHT: 31 OZ.

LENGTH: 8.3"

BARREL LENGTH: 4.71"

OPERATION: DOUBLE-ACTION, STRIKER-FIRED

SIGHTS: FIXED 3-DOT NIGHT

FULL FN 545™ TACTICAL SPECS: PAGE 92 – ACCESSORIES 84

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
66-101383	FN 545 T BLK/BLK NS 1X15, 1X18	845737015664
66-101384	FN 545 T FDE/FDE NS 1X15, 1X18	845737015688
66-101385	FN 545 T BLK/BLK NS 2X10	845737015671
66-101386	FN 545 T FDE/FDE NS 2X10	845737015695

LEARN MORE>>>

20 YD. SLOW FIRE PISTOL TARGET

FN HIGH POWER™

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PRIMARY FEATURES

- ADVANCED ERGONOMICS FOR MAXIMUM COMFORT AND CONTROL MATED WITH THE CLASSIC LOOK OF HIGH POWER
- INDUSTRY FIRST 17+1 CAPACITY IN A HIGH POWER
- MULTIPLE FINISHES AND ACCESSORY GRIP OPTIONS
- MODERN DESIGN WITH FULLY AMBIDEXTROUS CONTROLS

SLIDE

- DRIFTABLE STEEL BLACKOUT SIGHTS, FN 509® DOVETAIL PATTERN
- DURABLE, CORROSION-RESISTANT PVD FINISH
- OVERSIZED EJECTION PORT CYCLES MOST FACTORY LOADED DEFENSIVE AND TARGET AMMUNITION

BARREL

- 4.7" TARGET-CROWNED, HAMMER-FORGED BARREL FOR UNMATCHED LONGEVITY AND ACCURACY
- POLISHED CHAMBER AND RAMP FOR RELIABLE FEEDING

FRAME AND MAGAZINE

- CUSTOMIZE WITH SEVEN ACCESSORY G10 OR WOOD GRIP OPTIONS, INCLUDES TWO POLYMER GRIP PAIRS
- MULTIPLE FINISH OPTIONS WITH BLACK, STAINLESS STEEL AND FLAT DARK EARTH
- RAPID TAKEDOWN FOR IMMEDIATE FIELD STRIPPING, DELETES THE TRADITIONAL PINS AND BUSHINGS TO SPEED MAINTENANCE
- TWO, STEEL 17-RD MAGAZINES MAXIMIZE CAPACITY

OPERATING CONTROLS

- SINGLE ACTION HAMMER, WITH A VELVET-SMOOTH ≈ 5-LB. TRIGGER PULL
- SUPERIOR ERGONOMICS WITH PERFECT BALANCE AND GRIP TEXTURE TAMES RECOIL FOR FOLLOW-UP SHOTS
- FULLY AMBIDEXTROUS SAFETY AND SLIDE STOP WITH REVERSIBLE MAGAZINE CATCH FOR LEFT-HANDED SHOOTERS

CALIBER: 9MM | MAGAZINE: 10/17 RD.

BARREL LENGTH: 4.7" | WEIGHT: 40 oz.

OPERATION: SINGLE-ACTION, HAMMER-FIRED

SIGHTS: STEEL, BLACKOUT, DRIFTABLE DOVETAIL

SLIDE/FRAME FINISH: BLACK, FLAT DARK EARTH, STAINLESS

LENGTH: 8" | USE: SPORT SHOOTING OR TACTICAL TRAINING

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
66-100256	FN HIGH POWER BLK/BLK DS 2X17	845737013585
66-101068	FN HIGH POWER SS/SS DS 2X17	845737013592
66-101069	FN HIGH POWER FDE/FDE DS 2X17	845737013608
66-101115	FN HIGH POWER BLK/BLK DS 2X10	845737014391
66-101116	FN HIGH POWER SS/SS DS 2X10	845737014384
66-101117	FN HIGH POWER FDE/FDE DS 2X10	845737014377

FULL FN HIGH POWER™ SPECS: PAGE 92 – ACCESSORIES 84

LEARN MORE>>>

FNX™ SERIES

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

FNX™-9
CALIBER: 9MM | MAGAZINE: 10/17 RD.
BARREL LENGTH: 4"
SIGHTS: FIXED 3-DOT OR FIXED 3-DOT NIGHT
USE: CARRY OR DUTY

FNX™-45
CALIBER: .45 ACP | MAGAZINE: 10/15 RD.
BARREL LENGTH: 4.5"
SIGHTS: FIXED 3-DOT OR FIXED 3-DOT NIGHT
USE: CARRY OR DUTY

FULL FNX™ SERIES SPECS: PAGE 92 – ACCESSORIES 84

PRIMARY FEATURES

DOUBLE-ACTION/SINGLE-ACTION OPERATION

AMBIDEXTROUS CONTROLS

WORLD-CLASS, MILITARY-GRADE BARRELS

SLIDE

STAINLESS STEEL CONSTRUCTION

EXTERNAL EXTRACTOR, LOADED CHAMBER INDICATOR

FRONT AND REAR COCKING SERRATIONS

MATTE BLACK FINISH (FLAT DARK EARTH ALSO AVAILABLE ON FNX™-9 ONLY)

BARREL

COLD HAMMER-FORGED STAINLESS STEEL

POLISHED CHAMBER AND FEED RAMP

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
66960	FNX-45 BLK/BLK DS 2X15	845737000851
66961	FNX-45 BLK/BLK DS 2X10	845737000882
66964	FNX-45 FDE/BLK DS 2X15	845737000875
66965	FNX-45 FDE/BLK DS 2X10	845737000905
66822	FNX-9 BLK/BLK DS 2X17	845737000103
66836	FNX-9 BLK/BLK DS 2X10	845737001605

FRAME

POLYMER CONSTRUCTION WITH REPLACEABLE STEEL FRAME/SLIDE RAILS

INTERCHANGEABLE BACKSTRAPS WITH LANYARD EYELETS

ACCESSORY MOUNTING RAIL

SERRATED TRIGGER GUARD

MATTE BLACK FINISH (FLAT DARK EARTH ALSO AVAILABLE ON FNX™-45 ONLY)

OPERATING CONTROLS

FULLY AMBIDEXTROUS DECOCKING/SAFETY LEVER, SLIDE STOP LEVER, AND MAGAZINE RELEASE

MAGAZINE

POLISHED BODY; LOW-FRICTION FOLLOWER; POLYMER BASE

LEARN MORE>>>

FN Columbia, SC USA

CALIBER: .45 ACP | MAGAZINE: 10/15 RD.

BARREL LENGTH: 5.3"

SIGHTS: FIXED 3-DOT NIGHT

FRAME/SLIDE COLOR: MATTE BLACK OR FLAT DARK EARTH

USE: DUTY

FNX™-45 TACTICAL

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PRIMARY FEATURES

DOUBLE-ACTION/SINGLE-ACTION OPERATION

15 ROUNDS OF .45 ACP

THREADED BARREL

MRD OPTIONS

SLIDE

STAINLESS STEEL CONSTRUCTION

EXTERNAL EXTRACTOR; LOADED CHAMBER INDICATOR

FRONT AND REAR COCKING SERRATIONS

SLIDE CUT AND TAPPED FOR OPTIONAL ELECTRONIC RED-DOT SIGHT (NOT INCLUDED)

RAISED NIGHT SIGHTS FOR SUPPRESSOR USE AND EASY TARGET ACQUISITION IN ALL CONDITIONS

BARREL

COLD HAMMER-FORGED STAINLESS STEEL

POLISHED CHAMBER AND FEED RAMP

THREADED 0.578X28 TPI WITH THREAD PROTECTOR

FRAME

POLYMER CONSTRUCTION WITH REPLACEABLE STEEL FRAME/SLIDE RAILS

FOUR INTERCHANGEABLE BACKSTRAPS WITH LANYARD EYELETS

ACCESSORY MOUNTING RAIL

SERRATED TRIGGER GUARD

OPERATING CONTROLS

FULLY AMBIDEXTROUS DECOCKING/SAFETY LEVER, SLIDE STOP LEVER, AND MAGAZINE RELEASE

MAGAZINE

POLISHED BODY; LOW-FRICTION FOLLOWER; POLYMER BASE

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
66966	FNX-45T BLK/BLK NS 2X15	845737000912
66968	FNX-45T FDE/FDE NS 2X15	845737000981
66981	FNX-45T BLK/BLK NS 2X10	845737005399
66982	FNX-45T FDE/FDE NS 2X10	845737005405
66-100223	FNX-45T FDE/FDE NS 2X10 NON-TB	845737009052

LEARN MORE>>>

FULL FNX™-45 TACTICAL SPECS: PAGE 92 – ACCESSORIES 84

FN
COLUMBIA, SC
Fiveseven cal. 5.7x28

FN
COLUMBIA, SC
Fiveseven cal. 5.7x28

Fiveseven cal. 5.7x28

FN FIVE-SEVEN®

CALIFORNIA COMPLIANT

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PRIMARY FEATURES

SINGLE-ACTION OPERATION, DELAYED BLOWBACK

ADJUSTABLE REAR COMBAT SIGHT

UP TO 20-ROUND CAPACITY

LOW RECOIL

HIGH-PERFORMANCE PROJECTILES

SLIDE

STEEL SLIDE

POLYMER COVER

FRONT AND REAR COCKING SERRATIONS

BARREL

COLD HAMMER-FORGED

CHROME-LINED CHAMBER AND BORE

FRAME

POLYMER CONSTRUCTION

CHECKERED GRIP

MIL-STD-1913 ACCESSORY MOUNTING RAIL

SERRATED TRIGGER GUARD

BLACK OR FLAT DARK EARTH FINISHES AVAILABLE

OPERATING CONTROLS

FULLY AMBIDEXTROUS SAFETY LEVER

REVERSIBLE MAGAZINE RELEASE

MAGAZINE

POLYMER BODY; LOW-FRICTION FOLLOWER; POLYMER BASE

WARNING

USE ONLY SPECIALLY COATED, FACTORY-LOADED AMMUNITION. USE OF ANY NON-FACTORY COATED AND LOADED AMMUNITION CAN RESULT IN EXCESSIVE PRESSURES LEADING TO POSSIBLE PERSONAL INJURY AND DAMAGE TO THE PISTOL.

TO LEARN MORE ABOUT THE FN 5.7X28MM, GO TO PAGE 82

CALIBER: 5.7 X 28MM | MAGAZINE: 10/20 RD.

BARREL LENGTH: 4.8"

SIGHTS: ADJUSTABLE 3-DOT

USE: CARRY OR DUTY

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
3868900751	FN FIVE-SEVEN BLK/BLK AJS 2X20	845737013523
3868900752	FN FIVE-SEVEN BLK/BLK AJS 2X10	845737013530
3868900753	FN FIVE-SEVEN FDE/FDE AJS 2X20	845737013547
3868900754	FN FIVE-SEVEN FDE/FDE AJS 2X10	845737013554
3868929302	FN FIVE-SEVEN BLK/BLK AJS 3X10 CA	845737003326
3868929352	FN FIVE-SEVEN FDE/BLK AJS 3X10 CA	845737003388

LEARN MORE>>>

FULL FN FIVE-SEVEN® SPECS: PAGE 92 – ACCESSORIES 84
TO LEARN MORE ABOUT THE FN 5.7X28 MM, GO TO PAGE 82

FN HERSTAL BELGIUM

FN FIVE-SEVEN® MRD

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PRIMARY FEATURES

SLIDE CUT TO MOUNT MOST OPTICS

MINIMAL RECOIL FROM THE FN 5.7X28MM CARTRIDGE

ENHANCED GRIP WITH STIPPLED TEXTURE

ADJUSTABLE IRON SIGHTS CO-WITNESS WITH MOST MRDS

SLIDE

ADD MOST MRDS IN MINUTES, WITHOUT A GUNSMITH

MACHINED STEEL SLIDE WITH POLYMER COVER

ENHANCED SLIDE COVER IMPROVES COCKING CONTROL

PHOTO-LUMINESCENT FRONT SIGHT WITH ADJUSTABLE REAR

BARREL

COLD HAMMER-FORGED BARREL FOR ENDURING ACCURACY

PRECISION 5.7X28MM CHAMBER FOR FEED RELIABILITY

FRAME

STIPPLED TEXTURE FOR ADVERSE CONDITIONS

INTERNAL SINGLE-ACTION HAMMER

SMOOTH TRIGGER PULL, BREAKS AT ≈ 6.2-LBS.

OPERATING CONTROLS

OVERSIZE CONTROLS FIT ANY SHOOTER

MAGAZINE

TWO, 20-RD OR 10-RD POLYMER MAGAZINES INCLUDED

WARNING

USE ONLY SPECIALLY COATED, FACTORY-LOADED AMMUNITION. USE OF ANY NON-FACTORY COATED AND LOADED AMMUNITION CAN RESULT IN EXCESSIVE PRESSURES LEADING TO POSSIBLE PERSONAL INJURY AND DAMAGE TO THE PISTOL.

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
66-101274	FN FIVE-SEVEN MRD BLK/BLK 2X20 ADJ SIGHT	845737015046
66-101275	FN FIVE-SEVEN MRD FDE/FDE 2X20 ADJ SIGHT	845737015145
66-101276	FN FIVE-SEVEN MRD BLK/BLK 2X10 ADJ SIGHT	845737015053
66-101277	FN FIVE-SEVEN MRD FDE/FDE 2X10 ADJ SIGHT	845737015138

TO LEARN MORE ABOUT THE FN 5.7X28MM, GO TO PAGE 82

LEARN MORE>>>

CALIBER: 5.7 X 28MM | MAGAZINE: 10/20 RD.

BARREL LENGTH: 4.8"

SIGHTS: ADJUSTABLE 3-DOT

USE: CARRY OR DUTY

FULL FN FIVE-SEVEN® MRD SPECS: PAGE 92 – ACCESSORIES 84
TO LEARN MORE ABOUT THE FN 5.7X28 MM, GO TO PAGE 82

FN COLUMBIA, SC USA
MADE IN GERMANY

502
22LR

FN 502™ MRD

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PRIMARY FEATURES

SLIDE-MOUNTED OPTICS-READY .22 LR PISTOL

SINGLE-ACTION HAMMER

FITS MOST FN 509 HOLSTERS

SLIDE

AIRCRAFT-GRADE ANODIZED ALUMINUM AND STEEL

LOADED CHAMBER INDICATOR

FRONT AND REAR COCKING SERRATIONS FOR EASY MANIPULATION

FRONT AND REAR SIGHTS

BARREL

4" BARREL, TARGET CROWNED MUZZLE

FRAME

FN 509®-INSPIRED ERGONOMICS AND GRIP TEXTURING

BEST-IN-CLASS TRIGGER BREAKS CLEANLY AT ≈ 5 LBS.

OPERATING CONTROLS

AMBIDEXTROUS CONTROLS

MANUAL SAFETY, NO DE-COCKER

MAGAZINE

TWO 10-RD MAGAZINES INCLUDED

CALIBER: .22 LR | MAGAZINE: 10 RD.

BARREL LENGTH: 4" | WEIGHT: 22.5 oz. | LENGTH: 7"

OPERATION: SINGLE ACTION ONLY (SAO)

SLIDE/FRAME FINISH: BLACK OR FLAT DARK EARTH

SIGHTS: FIXED, POLYMER DAY SIGHTS

SPORT SHOOTING OR TACTICAL TRAINING

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
66-101012	FN 502 MRD FDE/FDE (2) 10-RND	845737013318
66-101013	FN 502 MRD BLK/BLK (2) 10-RND	845737013325

FULL FN 502™ MRD SPECS: PAGE 92 – ACCESSORIES 84

LEARN MORE>>>

FN 502™ TACTICAL

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PRIMARY FEATURES

- INDUSTRY'S FIRST SLIDE-MOUNTED OPTICS-READY .22 LR PISTOL
- 15-ROUND HIGH CAPACITY MAGAZINES
- SINGLE-ACTION HAMMER
- SUPPRESSOR-READY
- FITS MOST FN 509® TACTICAL HOLSTERS

SLIDE

- AIRCRAFT-GRADE ANODIZED ALUMINUM AND STEEL
- LOADED CHAMBER INDICATOR
- FRONT AND REAR COCKING SERRATIONS FOR EASY MANIPULATION
- SUPPRESSOR-HEIGHT, FIXED FRONT AND REAR SIGHTS

BARREL

- 4.6" BARREL, 1/2X28 THREADED TARGET CROWNED MUZZLE WITH THREAD PROTECTOR

FRAME

- FN 509®-INSPIRED ERGONOMICS AND GRIP TEXTURING
- BEST-IN-CLASS TRIGGER BREAKS CLEANLY AT ≈ 5 LBS.

OPERATING CONTROLS

- AMBIDEXTROUS CONTROLS
- MANUAL SAFTEY, NO DE-COCKER

MAGAZINE

- SHIPS WITH 10-RD. AND 15-RD. EXTENDED MAGAZINE

CALIBER: .22LR | MAGAZINE: 10/15 RD.

BARREL LENGTH: 4.6" | WEIGHT: 23.7 oz. | LENGTH: 7.6"

OPERATION: SINGLE ACTION ONLY (SAO)

SLIDE/FRAME FINISH: BLACK OR FLAT DARK EARTH

SIGHTS: FIXED POLYMER

SPORT SHOOTING OR TACTICAL TRAINING

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
66-101006	FN 502 T FDE/FDE 1X15+1X10	845737013332
66-101009	FN 502 T FDE/FDE 2X10	845737013271
66-101010	FN 502 T BLK/BLK 1X15+1X10	845737013295
66-101011	FN 502 T BLK/BLK 2X10	845737013301

TO LEARN MORE ABOUT THE FN CATCH 22™ Ti, GO TO PAGE 9

FULL FN 502™ TACTICAL SPECS: PAGE 92 – ACCESSORIES 84

LEARN MORE>>>

COMPACT

3.7-inch Barrel
12 RD. Grip Frame

FN 509® COMPACT

MRD

TACTICAL

EDGE™ SERIES

MIDSIZE

4-Inch Barrel
15 RD. Grip Frame

FN 509® MIDSIZE

MRD

TACTICAL

FN 509® FAMILY

STANDARD

4-Inch Barrel
17 RD. Grip Frame

FN 509®

TACTICAL

EDGE™ SERIES

5-Inch Barrel
17 RD. Grip Frame

509
9x19

FN 509® COMPACT

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

CALIBER: 9MM | MAGAZINE: 10 OR 12/15 RD.

BARREL LENGTH: 3.7" | WEIGHT: 25.5 .oz

USE: CARRY OR DUTY

PRIMARY FEATURES

- FULL-SIZED PERFORMANCE IN A CONCEALED CARRY PACKAGE
- LOW-PROFILE, HIGH-VIZ FRONT DOT
- STRIKER-FIRED AUTOLOADER
- DOUBLE-ACTION OPERATION
- FULLY AMBIDEXTROUS CONTROLS

SLIDE

- EXTERNAL EXTRACTOR; LOADED CHAMBER INDICATOR
- AGGRESSIVE FN 509 SLIDE SERRATIONS FOR IMPROVED MANIPULATION

BARREL

- COLD HAMMER-FORGED STAINLESS STEEL
- RECESSED TARGET CROWN
- POLISHED CHAMBER AND FEED RAMP

FRAME

- SHORTENED GRIP FOR EASIER CONCEALMENT
- ENHANCED GRIP TEXTURES WHICH ENABLES FASTER FOLLOW-UP SHOTS IN ALL CONDITIONS
- INTERCHANGEABLE BACKSTRAPS
- MIL-STD-1913 ACCESSORY MOUNTING RAIL
- IMPROVED FLATTER FACE TRIGGER

OPERATING CONTROLS

- FULLY AMBIDEXTROUS SLIDE STOP LEVER AND MAGAZINE RELEASE

MAGAZINE

- HIGH VISIBILITY, LOW-FRICTION FOLLOWER; POLYMER BASE WITH BLACK FINISH
- COMES WITH ONE 12-ROUND AND ONE 15-ROUND MAGAZINE OR TWO 10-ROUND MAGAZINES
- COMPATIBLE WITH FN 509 17-ROUND AND 24-ROUND MAGAZINES WITH APPROPRIATE MAGAZINE SLEEVES

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
66-100815	FN 509C BLK/BLK 1X12 1X15	845737012793
66-100816	FN 509C BLK/BLK 2X10	845737012809
66-100818	FN 509C FDE/FDE 1X12 1X15	845737012816
66-100819	FN 509C FDE/FDE 2X10	845737012823

FULL FN 509® COMPACT SPECS: PAGE 92 – ACCESSORIES 84

LEARN MORE>>>

CALIBER: 9MM | MAGAZINE: 10 OR 12/15 RD.

BARREL LENGTH: 3.7" | WEIGHT: 25.5 .oz

USE: CARRY OR DUTY

FN 509® COMPACT MRD

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PRIMARY FEATURES

- FULL-SIZED PERFORMANCE IN A CONCEALED CARRY PACKAGE
- STRIKER-FIRED AUTOLOADER
- DOUBLE-ACTION OPERATION
- FULLY AMBIDEXTROUS CONTROLS
- FN LOW-PROFILE OPTICS MOUNTING SYSTEM WITH PLATE ADAPTERS FOR DIRECT MOUNTING OF MORE THAN 10 OPTICS
- ALL-BLACK CO-WITNESS IRON SIGHTS

SLIDE

- EASILY RACKED, COMBAT-STYLE SIGHTS
- EXTERNAL EXTRACTOR; LOADED CHAMBER INDICATOR
- IMPROVED FRONT AND REAR COCKING SERRATIONS

BARREL

- COLD HAMMER-FORGED STAINLESS STEEL
- RECESSED TARGET CROWN
- POLISHED CHAMBER AND FEED RAMP

FRAME

- POLYMER CONSTRUCTION WITH REPLACEABLE STEEL FRAME RAILS
- SHORTENED GRIP FOR EASIER CONCEALMENT
- ENHANCED GRIP TEXTURES WHICH ENABLES FASTER FOLLOW-UP SHOTS IN ALL CONDITIONS
- INTERCHANGEABLE BACKSTRAPS
- MIL-STD-1913 ACCESSORY MOUNTING RAIL
- IMPROVED FLATTER FACE TRIGGER

OPERATING CONTROLS

- FULLY AMBIDEXTROUS SLIDE STOP LEVER AND MAGAZINE RELEASE

MAGAZINE

- HIGH VISIBILITY, LOW-FRICTION FOLLOWER; POLYMER BASE WITH BLACK FINISH
- COMES WITH ONE 12-ROUND AND ONE 15-ROUND MAGAZINE OR TWO 10-ROUND MAGAZINES
- COMPATIBLE WITH FN 509 17-ROUND AND 24-ROUND MAGAZINES WITH APPROPRIATE MAGAZINE SLEEVES

COMPATIBLE OPTICS

- BURRIS FASTFIRE™ II AND FASTFIRE™ III
- C-MORE STS2
- CRIMSON TRACE® CTS-1200
- DOCTER® USA OPTICS
- HOLOSUN 507C, HOLOSUN 508T
- LEUPOLD DELTA POINT PRO
- TRIJICON RMR® AND SRO®
- TRUGLO® TRU-TEC MICRO
- VORTEX'S RAZOR®, VENOM®, AND VIPER®
- AIMPOINT® ACRO (PLATE NOT INCLUDED)

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
66-100571	FN 509C MRD BLK/BLK 1X12 1X15	845737010881
66-100572	FN 509C MRD BLK/BLK 2X10	845737010898
66-100574	FN 509C MRD FDE/FDE 1X12 1X15	845737010911
66-100575	FN 509C MRD FDE/FDE 2X10	845737010928

LEARN MORE>>>

FULL FN 509® COMPACT MRD SPECS: PAGE 92 – ACCESSORIES 84

509
9x19

FN 509® COMPACT TACTICAL

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

CALIBER: 9MM | MAGAZINE: 10/12/15/24 RD.

BARREL LENGTH: 4.32" | WEIGHT: 26.2 oz.

SIGHTS: FIXED 3-DOT NIGHT

FRAME COLOR: MATTE BLACK OR FLAT DARK EARTH

USE: CARRY OR DUTY

FULL FN 509® COMPACT TACTICAL SPECS: PAGE 92 – ACCESSORIES 84

PRIMARY FEATURES

STRIKER-FIRED AUTOLOADER

5.5 TO 7.5 LBS. TRIGGER PULL

FN LOW-PROFILE OPTICS MOUNTING SYSTEM™

THREADED BARREL

SUPPRESSOR-HEIGHT NIGHT SIGHTS

SLIDE

FN LOW-PROFILE OPTICS MOUNTING SYSTEM™

SIGHT PROTECTING SLIDE CAP

EXTERNAL EXTRACTOR; LOADED CHAMBER INDICATOR

BARREL

COLD HAMMER-FORGED STAINLESS STEEL

RECESSED TARGET CROWN

POLISHED CHAMBER AND FEED RAMP

1/2" X 28 THREADED BARREL

O-RING RETENTION THREAD CAP

FRAME

ENHANCED GRIP TEXTURE WHICH ENABLES FASTER FOLLOW-UP SHOTS IN ALL CONDITIONS

INTERCHANGEABLE BACKSTRAPS

MIL-STD-1913 ACCESSORY MOUNTING RAIL

OPERATING CONTROLS

FULLY AMBIDEXTROUS SLIDE STOP LEVER AND MAGAZINE RELEASE

MAGAZINE

HIGH VISIBILITY, LOW-FRICTION FOLLOWER; POLYMER BASE WITH BLACK FINISH

ONE 12-RD, 15-RD AND ONE 24-RD OR THREE 10-RD MAGAZINES

COMPATIBLE OPTICS

BURRIS FASTFIRE™ II AND FASTFIRE™ III

C-MORE STS2

CRIMSON TRACE® CTS-1200

DOCTER® USA OPTICS

HOLOSUN 507C, HOLOSUN 508T

LEUPOLD DELTA POINT PRO

TRIJICON RMR® AND SRO®

TRUGLO® TRU-TEC MICRO

VORTEX'S RAZOR®, VENOM®, AND VIPER®

AIMPOINT® ACRO (PLATE NOT INCLUDED)

**COMPATIBLE WITH THE FN RUSH™ 9Ti.*

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
66-100780	FN 509C T FDE/FDE 1X12+1X24	845737012656
66-100781	FN 509C T FDE/FDE 2X10	845737012137
66-100782	FN 509C T BLK/BLK 1X12+1X24	845737012144
66-100783	FN 509C T BLK/BLK 2X10	845737012151

LEARN MORE>>>

9X19
FN COLUMBIA,SC USA

609
CC EDGE
9x19

FN 509 CC EDGE™

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

CALIBER: 9MM | MAGAZINE: 10/15 RD.

BARREL LENGTH: 4.2" | WEIGHT: 25.5 oz.

FRAME COLOR: GRAPHITE PVD (PHYSICAL VAPOR DEPOSITION), TYPE III ANODIZING, GOLD TITANIUM NITRIDE

OPERATION: DOUBLE-ACTION, STRIKER-FIRED

FULL FN 509 CC EDGE™ SPECS: PAGE 92 – ACCESSORIES 84

PRIMARY FEATURES

FN COMPENSATOR CUTS MUZZLE FLIP 25%

5.5 TO 7.5 LBS. TRIGGER PULL

PATENTED FN LOW-PROFILE OPTICS MOUNTING SYSTEM™ THREADED BARREL

PRECISION FLAT-FACED TRIGGER

ACCURACY

HAMMER-FORGED BARREL, TARGET-CROWNED

TRIGGER BREAKS CLEAN AT ≈5.6-LBS., HIGH-ENDURANCE STRIKER

CO-WITNESSING HEIGHT FIBER-OPTIC FRONT SIGHT

CONTROL

LIGHTENING-CUT SLIDE SPEEDS FOLLOW-UP SHOTS

RECESSED TARGET CROWN

AUTO-INDEXING COMPENSATOR REMOVES WITHOUT TOOLS

STIPPLED FRAME TEXTURE ENHANCES GRIP

TWO INCLUDED BACKSTRAPS FIT ANY HAND SIZE

VERSATILITY

IMMEDIATELY ADD MOST MRDS AND LIGHTS

AMBIDEXTROUS SLIDE STOP

MIL-STD-1913 ACCESSORY MOUNTING RAIL

LONG-WEARING PVD AND TIN BARREL FINISH FOR LUBRICITY

POLISHED CHAMBER AND FEED RAMP

SPEED

WEIGHTED MAGAZINE BASE PADS SPEED RELOADS

OVERSIZED, KNURLED MAG RELEASE, REVERSIBLE

CLEAN AND LIGHT TRIGGER WITH SHORT RESET

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
66-101347	FN 509 CC EDGE BLK/GRY 1X12+2X15	845737015411
66-101350	FN 509 CC EDGE BLK/GRY 3X10	845737015428

LEARN MORE>>>

509
9x19

FN 509® MIDSIZE

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

CALIBER: 9MM | MAGAZINE: 10/15 RD.

BARREL LENGTH: 4" | WEIGHT: 26.5 .oz

SIGHTS: FIXED 3-DOT LUMINESCENT SIGHTS (STANDARD)

USE: CARRY OR DUTY

FULL FN 509® MIDSIZE SPECS: PAGE 92 – ACCESSORIES 84

PRIMARY FEATURES

- STRIKER-FIRED AUTOLOADER
- DOUBLE-ACTION OPERATION
- 5.5 TO 7.5 LB. TRIGGER PULL
- FULLY AMBIDEXTROUS CONTROLS
- WORLD-CLASS, MILITARY-GRADE BARRELS
- 15-ROUND CAPACITY GIVES DUTY PISTOL PERFORMANCE IN A SMALLER PACKAGE

SLIDE

- EASILY RACKED, COMBAT-STYLE SIGHTS
- EXTERNAL EXTRACTOR; LOADED CHAMBER INDICATOR
- IMPROVED FRONT AND REAR COCKING SERRATIONS

BARREL

- COLD HAMMER-FORGED STAINLESS STEEL
- RECESSED TARGET CROWN
- POLISHED CHAMBER AND FEED RAMP

FRAME

- ENHANCED GRIP TEXTURE WHICH ENABLES FASTER FOLLOW-UP SHOTS IN ALL CONDITIONS
- INTERCHANGEABLE BACKSTRAPS
- MIL-STD-1913 ACCESSORY MOUNTING RAIL

OPERATING CONTROLS

- FULLY AMBIDEXTROUS SLIDE STOP LEVER AND MAGAZINE RELEASE

MAGAZINE

- HIGH-VISIBILITY, LOW-FRICTION FOLLOWER; POLYMER BASE WITH BLACK FINISH

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
66-100463	FN 509M BLK/BLK DS 2X15	845737010010
66-100464	FN 509M BLK/BLK DS 2X10	845737010027

LEARN MORE>>>

INFORCE

509
9x19

FN 509® MIDSIZE MRD

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PRIMARY FEATURES

- FULL-SIZED PERFORMANCE IN A CONCEALED CARRY PACKAGE
- WORLD-CLASS, MILITARY-GRADE BARREL
- FULLY AMBIDEXTROUS CONTROLS
- FN LOW-PROFILE OPTICS MOUNTING SYSTEM WITH PLATE ADAPTERS FOR DIRECT MOUNTING OF MORE THAN 10 OPTICS
- ALL-BLACK CO-WITNESS IRON SIGHTS

SLIDE

- EXTERNAL EXTRACTOR; LOADED CHAMBER INDICATOR
- AGGRESSIVE FN 509 SLIDE SERRATIONS FOR IMPROVED MANIPULATION

BARREL

- COLD HAMMER-FORGED
- RECESSED TARGET CROWN
- POLISHED CHAMBER AND FEED RAMP

FRAME

- SHORTENED GRIP FOR EASIER CONCEALMENT
- ENHANCED GRIP TEXTURES WHICH ENABLES FASTER FOLLOW-UP SHOTS IN ALL CONDITIONS
- INTERCHANGEABLE BACKSTRAPS
- MIL-STD-1913 ACCESSORY MOUNTING RAIL
- IMPROVED FLATTER FACE TRIGGER

OPERATING CONTROLS

- FULLY AMBIDEXTROUS SLIDE STOP LEVER AND MAGAZINE RELEASE

MAGAZINE

- HIGH VISIBILITY, LOW-FRICTION FOLLOWER; POLYMER BASE WITH BLACK FINISH
- COMPATIBLE WITH FN 509 17-ROUND AND 24-ROUND MAGAZINES WITH APROPRIATE MAGAZINE SLEEVES

CALIBER: 9MM | MAGAZINE: 10/15 RD.

BARREL LENGTH: 4" | WEIGHT: 26.5 .oz

SIGHTS: ALL-BLACK CO-WITNESS IRON SIGHTS

USE: CARRY OR DUTY

FULL FN 509® MIDSIZE MRD SPECS: PAGE 92 – ACCESSORIES 84

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
66-100587	FN 509M MRD BLK/BLK 2X15	845737010737
66-100588	FN 509M MRD BLK/BLK 2X10	845737010744
66-100741	FN 509M MRD FDE/FDE 2X15	845737011567
66-100742	FN 509M MRD FDE/FDE 2X10	845737011574

LEARN MORE>>>

9x19
509
9x19

FN 509® MIDSIZE TACTICAL

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PRIMARY FEATURES

- FN LOW-PROFILE OPTICS-MOUNTING SYSTEM™
- FULLY AMBIDEXTROUS CONTROLS
- 15-ROUND AND 24-ROUND MAGAZINES
- SUPPRESSOR-HEIGHT 3-DOT NIGHT SIGHTS

SLIDE

- ADD MOST MRDS IN MINUTES
- LONG-WEARING PVD FINISH
- EXTERNAL EXTRACTOR; LOADED CHAMBER INDICATOR

BARREL

- COLD HAMMER-FORGED STAINLESS STEEL BARREL
- RECESSED TARGET CROWN
- POLISHED CHAMBER AND FEED RAMP
- 1/2" X 28 THREADED BARREL
- O-RING RETENTION THREAD CAP

FRAME

- HIGH ENDURANCE STRIKER
- DUTY-SAFE TRIGGER WITH ≈ 5.6-LB. PULL
- ENHANCED GRIP TEXTURE WHICH ENABLES FASTER FOLLOW-UP SHOTS
- INTERCHANGEABLE BACKSTRAPS
- MIL-STD-1913 RAIL

OPERATING CONTROLS

- FULLY AMBIDEXTROUS SLIDE STOP LEVER AND MAGAZINE RELEASE

MAGAZINE

- HIGH VISIBILITY, LOW-FRICTION FOLLOWER; POLYMER BASE WITH BLACK FINISH

**COMPATIBLE WITH THE FN RUSH™ 9Ti.*

CALIBER: 9MM | MAGAZINE: 10 OR 15/24 RD.

BARREL LENGTH: 4.5" | WEIGHT: 27.9 oz.

FRAME COLOR: MATTE BLACK OR FLAT DARK EARTH

USE: CARRY OR DUTY

OPERATION: DOUBLE-ACTION

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
66-100745	FN 509M T FDE/FDE NS 1X15+1X24	845737011604
66-100746	FN 509M T FDE/FDE NS 2X10	845737011611
66-100837	FN 509M T BLK/BLK NS 1X15+1X24	845737015169
66-100838	FN 509M T BLK/BLK NS 2X10	845737015176

FULL FN 509® MIDSIZE TACTICAL SPECS: PAGE 92 – ACCESSORIES 84

LEARN MORE>>>

9x19
S/N 010004
0719

SUREFIRE
Chazni

FN 509®

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PRIMARY FEATURES

STRIKER-FIRED AUTOLOADER

DOUBLE-ACTION OPERATION

OFFERED AS A NON-MANUAL SAFETY MODEL

FIXED 3-DOT LUMINESCENT SIGHTS (STANDARD)

SLIDE

EASILY RACKED, COMBAT-STYLE SIGHTS

EXTERNAL EXTRACTOR; LOADED CHAMBER INDICATOR

IMPROVED FRONT AND REAR COCKING SERRATIONS

BARREL

COLD HAMMER-FORGED STAINLESS STEEL

RECESSED TARGET CROWN

POLISHED CHAMBER AND FEED RAMP

FRAME

POLYMER CONSTRUCTION WITH REPLACEABLE STEEL FRAME/SLIDE RAILS

ENHANCED GRIP TEXTURES WHICH ENABLES FASTER FOLLOW-UP SHOTS IN ALL CONDITIONS

INTERCHANGEABLE BACKSTRAPS

MIL-STD-1913 ACCESSORY MOUNTING RAIL

OPERATING CONTROLS

FULLY AMBIDEXTROUS SLIDE STOP LEVER AND MAGAZINE RELEASE

MAGAZINE

HIGH VISIBILITY, LOW-FRICTION FOLLOWER; POLYMER BASE WITH BLACK FINISH

CALIBER: 9MM | MAGAZINE: 10 OR 17 RD.

BARREL LENGTH: 4.0" | WEIGHT: 26.9 oz.

FRAME COLOR: MATTE BLACK OR FLAT DARK EARTH

USE: CARRY OR DUTY

OPERATION: DOUBLE-ACTION

FULL FN 509® SPECS: PAGE 92 – ACCESSORIES 84

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
66-100002	FN 509 BLK/BLK DS 2X17	845737008079
66-100003	FN 509 BLK/BLK DS 2X10	845737008086
66-100489	FN 509 FDE/FDE DS 2X17	845737010232
66-100490	FN 509 FDE/FDE DS 2X10	845737010225

LEARN MORE>>>

FN 509® TACTICAL

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

CALIBER: 9MM | MAGAZINE: 10/17/24 RD.

BARREL LENGTH: 4.5" | WEIGHT: 27.9 .oz

SIGHTS: FIXED 3-DOT NIGHT (STANDARD)

FRAME COLOR: MATTE BLACK OR FLAT DARK EARTH

USE: CARRY OR DUTY

FULL FN 509® TACTICAL SPECS: PAGE 92 – ACCESSORIES 84

PRIMARY FEATURES

STRIKER-FIRED AUTOLOADER

5.5 TO 7.5 LB. TRIGGER PULL

FN LOW-PROFILE OPTICS-MOUNTING SYSTEM™

THREADED BARREL

SUPPRESSOR-HEIGHT NIGHT SIGHTS

SLIDE

SIGHT-PROTECTING SLIDE CAP

EXTERNAL EXTRACTOR; LOADED CHAMBER INDICATOR

BARREL

COLD HAMMER-FORGED STAINLESS STEEL

RECESSED TARGET CROWN

POLISHED CHAMBER AND FEED RAMP

THREADED 0.5"X28 TPI BARREL

O-RING RETENTION THREAD CAP

FRAME

ENHANCED GRIP TEXTURE WHICH ENABLES FASTER FOLLOW-UP SHOTS IN ALL CONDITIONS

INTERCHANGEABLE BACKSTRAPS

MIL-STD-1913 ACCESSORY MOUNTING RAIL

OPERATING CONTROLS

FULLY AMBIDEXTROUS SLIDE STOP LEVER AND MAGAZINE RELEASE

MAGAZINE

HIGH-VISIBILITY, LOW-FRICTION FOLLOWER; POLYMER BASE WITH BLACK FINISH

1-17 RD. AND 2-24 RD. MAGAZINES INCLUDED

COMPATIBLE OPTICS

BURRIS FASTFIRE™ II AND FASTFIRE™ III

C-MORE STS2

CRIMSON TRACE® CTS-1200

DOCTER® USA OPTICS

HOLOSUN 507C, HOLOSUN 508T

LEUPOLD DELTA POINT PRO

TRIJICON RMR® AND SRO®

TRUGLO® TRU-TEC MICRO

VORTEX'S RAZOR®, VENOM®, AND VIPER®

AIMPOINT® ACRO (PLATE NOT INCLUDED)

**COMPATIBLE WITH THE FN RUSH™ 9Ti.*

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
66-100373	FN 509T FDE/FDE NS 1X17+1X24	845737009137
66-100375	FN 509T BLK/BLK NS 1X17+1X24	845737010119
66-100383	FN 509T FDE/FDE NS 2X10	845737009144
66-100527	FN 509T BLK/BLK NS 2X10	845737010195

LEARN MORE>>>

FN 509 LS EDGE™

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PRIMARY FEATURES

- OPTIMIZED LONG SLIDE WITH PATENTED OPTICS MOUNTING SYSTEM
- FLAT-FACE TRIGGER BREAKS CLEANLY AT 90°
- ENHANCED ERGONOMICS AND ADAPTABILITY FIT ALL SHOOTERS

CONTROL

- LONG SLIDE RECOVERS IMMEDIATELY, TRACKS PERFECTLY
- LIGHTENING CUTS REDUCE WEIGHT AND IMPROVE BALANCE SPEEDING FOLLOW-UP SHOTS
- NEW, PERIMETER FRAME TEXTURE ENHANCES GRIP, WET AND DRY
- TWO, INTERCHANGEABLE BACKSTRAPS FIT ALL HAND SIZES, MITIGATES FELT RECOIL

ACCURACY

- 5" TARGET-CROWNED, HAMMER-FORGED BARREL FOR TACK-DRIVING PERFORMANCE
- FLAT-FACE, FACET-EDGE TRIGGER BREAKS
- CLEANLY ≈ 4-5 LBS.
- NEW, CONICAL STRIKER REDUCES 509 TRIGGER PULL WEIGHT BY 1.5-LBS
- PRECISION FIBER OPTIC FRONT SIGHT CO-WITNESSES WITH MRD, BLACKOUT REAR NOTCH

VERSATILITY

- BEST-IN-CLASS LOW-PROFILE OPTICS MOUNTING SYSTEM™ FITS MOST COMMON MRDS
- AMBIDEXTROUS SLIDE STOP
- LONG-WEARING GRAPHITE PVD FINISH
- COMPATIBLE WITH 24-ROUND FN 509 MAGAZINE
- MIL-STD 1913 RAIL FITS ALL COMMON WEAPON LIGHTS
- POLISHED CHAMBER AND RAMP FOR RELIABLE FEEDING AND EXTRACTION ACROSS AMMUNITION TYPES

SPEED

- THREE, 17-RD MAGAZINES, GRAPHITE ANODIZED ALUMINUM FLOOR PLATES DROP FASTER
- FLARED, GRAPHITE ANODIZED ALUMINUM MAGWELL SPEEDS MAG CHANGES UNDER STRESS
- OVERSIZED, KNURLED MAGAZINE RELEASE FOR INSTINCTIVE OPERATION
- TRIGGER BREAKS AT 90°, SHORT TAKE-UP AND POSITIVE RESET SPEEDS FOLLOW-UP SHOTS
- 6.7" SIGHT RADIUS WITH .040" FIBER OPTIC SIGHT POST FINDS TARGETS AND TRANSITIONS FASTER

CALIBER: 9MM | MAGAZINE: 10/17 RD.

BARREL LENGTH: 5" | WEIGHT: 31 oz.

SIGHTS: .040" GREEN FIBER OPTIC FRONT SIGHT POST, REAR BLACKOUT NOTCH

SLIDE FINISH: GRAPHITE PVD (PHYSICAL VAPOR DEPOSITION) TYPE III ANODIZING

USE: CARRY, DUTY, COMPETITION

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
66-100843	FN 509 LS EDGE BLK/GRY 3X17	845737013141
66-100940	FN 509 LS EDGE BLK/GRY 3X10	845737013158

FULL FN 509 LS EDGE™ SPECS: PAGE 92 – ACCESSORIES 84

LEARN MORE>>>

FN SCAR® 15P

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PRIMARY FEATURES

NON-RECIPROCATING BOLT CARRIER ASSEMBLY ENABLES ALL SHOOTING POSITIONS, CHARGING HANDLES DOUBLE AS HAND STOPS

PREMIUM, ZIPPERED CASE FOR DISCREET TRANSPORT

SHORT-STROKE GAS PISTON

RECEIVER

HARD-ANODIZED MONOLITHIC ALUMINUM

MIL-STD-1913 ACCESSORY RAILS AT 4 POSITIONS

VERTICAL PICATINNY RAIL WITH SLING QD CUP

BARREL

7.5" HAMMER-FORGED, CHROME-LINED, FREE-FLOATING, WITH 3-PRONG FLASH HIDER

OPERATING CONTROLS

DUAL, AMBIDEXTROUS CHARGING HANDLES REMAIN STATIC UNDER FIRE, USER SWAPPABLE LEFT/RIGHT

AMBIDEXTROUS SAFETY LEVER AND MAGAZINE RELEASE

MAGAZINE

STEEL BODY, LOW FRICTION FOLLOWER

ONE 30-RD OR ONE 10-RD MAGAZINE INCLUDED

CALIBER: 5.56X45MM | MAGAZINE: 10 OR 30 RD.

BARREL LENGTH: 7.5" | WEIGHT: 5.65 LB.

OPERATION: SHORT-STROKE GAS PISTON

OVERALL LENGTH: 19.75"

FULL FN SCAR® 15P SPECS: PAGE 92 – ACCESSORIES 84

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
38-101240	SCAR 15P VPR 5.56 BLACK, 30-RD, 7.5"	845737015220
38-101241	SCAR 15P VPR 5.56 FDE, 30-RD, 7.5"	845737015237
38-101244	SCAR 15P VPR 5.56 BLACK, 10-RD, 7.5"	845737015244
38-101245	SCAR 15P VPR 5.56 FDE, 10-RD, 7.5"	845737015251

LEARN MORE>>>

WE ARE UNCOMPROMISING.

Manufactured to perfection.

Our past allows us to create firearms unlike any other. The constant innovation, improvement, and testing of our firearms ensure that FN firearms will always be at the forefront of battlefield-ready, civilian-carried firearms. Whether you are choosing the next-generation generation FN SCAR® 20S or the FN 15® series, the legendary DNA of its predecessors will always remain intact. Every rifle made by FN is designed to be unerring and to deliver impeccable accuracy in any situation.

FN SCAR® 20S NRCH

For U.S. sales only. For consumer, law enforcement, and military sales.

CALIBER: 7.62 X 51MM OR 6.5 CREEDMOOR | MAGAZINE: 10 RD.

BARREL LENGTH: 20”

TWIST RATE: 1:10’’ (7.62X51MM) / 1:8’’ (6.5 CREEDMOOR)

STOCK COLOR: FLAT DARK EARTH OR BLACK

OVERALL LENGTH: 41”-42.8”

FULL FN SCAR® 20S SPECS: PAGE 92 – ACCESSORIES 84

PRIMARY FEATURES

EXTENDED MONOLITHIC RECEIVER

SHORT-STROKE GAS PISTON

NEW BOLT CARRIER ASSEMBLY WITH NRCH ENABLES ANY SHOOTING POSITION OR OPTIC CHOICE, REDUCES FELT RECOIL

RECEIVER

HARD-ANODIZED MONOLITHIC ALUMINUM

MIL-STD-1913 ACCESSORY RAILS AT 3, 6, 9, AND 12 O'CLOCK POSITIONS

BARREL

COLD HAMMER-FORGED, CHROME-LINED, FREE-FLOATING BARREL WITH MUZZLE DEVICE

TRIGGER

TWO-STAGE MATCH TRIGGER (GEISSELE® “SUPER SCAR”)

STOCK

PRECISION ADJUSTABLE FOR LENGTH OF PULL AND COMB HEIGHT

ADJUSTABLE CHEEKPIECE

HOGUE® RUBBER GRIP WITH FINGER GROOVES

OPERATING CONTROLS

AMBIDEXTROUS SAFETY LEVER AND MAGAZINE RELEASE

DUAL, AMBIDEXTROUS CHARGING HANDLES REMAIN STATIC UNDER FIRE, USER SWAPPABLE LEFT/RIGHT

COMPOSITE POLYMER TRIGGER MODULE

MAGAZINE

STEEL MAGAZINE BODY

LOW-FRICTION FOLLOWER

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
38-100542-2	SCAR 20S 6.5MM CM NRCH BLACK, 1X10RD	845737013677
38-100543-2	SCAR 20S 6.5MM CM NRCH FDE, 1X10RD	845737013684
38-100544-2	SCAR 20S 7.62MM NRCH BLACK, 1X10RD	845737013691
38-100545-2	SCAR 20S 7.62MM NRCH FDE, 1X10RD	845737013707

LEARN MORE>>>

FN SCAR® 16S / 17S NRCH

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer and law enforcement sales.

FN SCAR® 16S NRCH
CALIBER: 5.56 X 45MM | MAGAZINE: 10/30 RD.

BARREL LENGTH: 16.25”

STOCK COLOR: FLAT DARK EARTH OR MATTE BLACK

OVERALL LENGTH: 37.5” (EXTENDED); 27.5” (COLLAPSED)

FN SCAR® 17S NRCH
CALIBER: 7.62 X 51MM | MAGAZINE: 10/20 RD.

BARREL LENGTH: 16.25”

STOCK COLOR: FLAT DARK EARTH OR MATTE BLACK

OVERALL LENGTH: 38.5” (EXTENDED); 28.5” (COLLAPSED)

FULL FN SCAR® 16S/17S NRCH SPECS: PAGE 92 – ACCESSORIES 84

PRIMARY FEATURES

MONOLITHIC RECEIVER

SHORT-STROKE GAS PISTON

RECEIVER

HARD-ANODIZED MONOLITHIC ALUMINUM

MIL-STD-1913 ACCESSORY RAILS AT 3, 6, 9, AND 12 O’CLOCK POSITIONS

ADJUSTABLE FOLDING FRONT AND FOLDING/ REMOVABLE REAR IRON SIGHTS

BARREL

COLD HAMMER-FORGED, CHROME-LINED, FREE-FLOATING BARREL WITH COMPENSATOR

STOCK

TELESCOPING, SIDE-FOLDING POLYMER STOCK

ADJUSTABLE CHEEKPIECE

A2-STYLE PISTOL GRIP

OPERATING CONTROLS

AMBIDEXTROUS SAFETY LEVER AND MAGAZINE RELEASE

CHARGING HANDLE MAY BE MOUNTED ON RIGHT OR LEFT SIDE

ENLARGED TRIGGER GUARD FOR EASIER ACCESS WHEN WEARING GLOVES

COMPOSITE POLYMER TRIGGER MODULE

MAGAZINE

STEEL OR ALUMINUM BODY

LOW-FRICTION FOLLOWER

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
98501-2	SCAR 16S 5.56MM NRCH FDE, 1X30RD	845737013561
98521-2	SCAR 16S 5.56MM NRCH BLACK, 1X30RD	845737013622
98601-2	SCAR 16S 5.56MM NRCH FDE, 1X10RD	845737013615
98621-2	SCAR 16S 5.56MM NRCH BLACK, 1X10RD	845737013639
98541-2	SCAR 17S 7.62MM NRCH FDE, 1X20RD	845737013578
98561-2	SCAR 17S 7.62MM NRCH BLACK, 1X20RD	845737013653
98641-2	SCAR 17S 7.62MM NRCH FDE, 1X10RD	845737013646
98661-2	SCAR 17S 7.62MM NRCH BLACK, 1X10RD	845737013660

LEARN MORE>>>

LEUPOLD
MARK 6
3X
4X
FN COLUMBIA, SC USA
SCAR 17S cal 7.62x51
H0C12411

LEARN MORE>>>



FN SCAR® SSR REAR STOCK

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer and law enforcement sales.

THE FN SCAR SSR REAR STOCK IS THE ULTIMATE PRECISION UPGRADE TO YOUR SCAR 16S AND 17S, ALLOWING YOU TO QUICKLY CONVERT YOUR CARBINE INTO A DMR-STYLE RIFLE THAT IS FULLY ADJUSTABLE FOR LENGTH OF PULL (LOP) AND CHEEK HEIGHT. NO TOOLS REQUIRED! DESIGNED TO IMPROVE USER ERGONOMICS WHILE SHOOTING FROM THE SUPPORTED PRONE POSITION, THE SSR REAR STOCK CAN BE ADJUSTED FOR LENGTH OF PULL BY PUSHING IN ON THE ADJUSTMENT LOCK, EXTENDING OR COLLAPSING THE BUTTPAD TO THE DESIRED POSITION. THE CHEEK HEIGHT CAN BE ADJUSTED BY PRESSING IN ON THE CHEEK REST RISER AND PULLING UPWARD UNTIL YOU REACH THE CORRECT HEIGHT. IT ALSO FEATURES A MIL-STD M1913 RAIL FOR ATTACHMENT OF MONOPODS OR OTHER ACCESSORIES THAT AID SUPPORTED SHOOTING POSITIONS.

LEARN MORE>>>

FN SCAR® NON-RECIPROCATING CHARGING HANDLE (NRCH)

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer and law enforcement sales.

THE NON-RECIPROCATING CHARGING HANDLE (NRCH) ASSEMBLY UPGRADE KIT GIVES CURRENT FN SCAR OWNERS EVEN MORE ADAPTABILITY AND MODULARITY FOR THEIR RIFLES WITH NEW, NONRECIPROCATING, DUAL CHARGING HANDLES, ENABLING ANY SHOOTING POSITION, GRIP STYLE OR OPTIC CHOICE. THE ASSEMBLY CONTAINS A NEW NRCH BOLT CARRIER, INNOVATIVE CHARGING HANDLE SLED AND TWO AMBIDEXTROUS, REVERSIBLE CHARGING HANDLES THAT LOCK FORWARD ON BOLT-CLOSE AND REMAIN STATIC DURING FIRE, PROVIDING SUPERIOR FORWARD ASSIST CAPABILITIES. THE FN SCAR NRCH ASSEMBLY UPGRADE IMPROVES THE HANDLING CHARACTERISTICS OF AN INHERENTLY MORE ACCURATE AND RELIABLE PLATFORM THAT, IN ITS MILITARY CONFIGURATION, HAS SERVED AMERICA'S MOST ELITE FIGHTING FORCES FOR MORE THAN A DECADE.

**Upgrading an FN SCAR 16S or 17S requires the assistance of a qualified gunsmith to remove the front plate without damaging the rifle.*

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
20-100566	SCAR SSR REAR STOCK ASSE BLK	845737015220
20-100567	SCAR SSR REAR STOCK ASSE FDE	845737015237
20-100504	SCAR LIGHT NRCH CONVERSI FOR SCAR LIGHT (16S)	845737015244
20-100505	SCAR HEAVY NRCH CONVERSI FOR SCAR HEAVY (17S/20S)	845737015251

FULL FN SCAR® 20S ACCESSORIES: PAGE 84

FN 15® GUARDIAN™

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer and law enforcement sales.

CALIBER: 5.56X45MM | MAGAZINE: 30 RD.

BARREL LENGTH: 16”

OVERALL LENGTH: 32.1”-35.5”

WEIGHT: 6.6 LB. (EMPTY)

PRIMARY FEATURES

15-INCH FREE-FLOAT HANDGUARD WITH CONTINUOUS 12 O’CLOCK PICATINNY RAIL, 24 M-LOK® SLOTS AT 3, 6 AND 9 O’CLOCK

PRECISION-TUNED 16-INCH BARREL, MID-LENGTH

MID-LENGTH GAS SYSTEM, LOW-PROFILE GAS BLOCK

RECEIVER

SLICK-SIDE UPPER RECEIVER REDUCES SNAG POINTS AND CLEANING TIME

9310 STEEL BOLT, M16-STYLE BOLT CARRIER GROUP, MPI/HP TESTED

GAS KEY MIL-SPEC SEALED, TORQUED AND STAKED

FORGED 7075 LOWER RECEIVER; HARD COAT ANODIZED

BARREL

16-INCH NITRIDE COATED BARREL; 1:7 TWIST

4150 CHROME-MOLY-VANADIUM STEEL MIL-B-11595 MPI/HP TESTED

HIGH PRESSURE TESTED, MPI AFTER PROOF FIRING

A2-STYLE FLASH HIDER, 1/2”X28 TPI

HANDGUARD

15-INCH EXTRUDED ALUMINUM, FREE-FLOATING,

CONTINUOUS TOP RAIL, 24 M-LOK® SLOTS

FURNITURE

CUSTOM FN 6-POSITION, SNAG-FREE BUTTSTOCK WITH MULTIPLE SLING ATTACHMENT POINTS

ERGONOMIC FN PISTOL GRIP AT 19.5° ANGLE AND AGGRESSIVE TEXTURING FOR COMPLETE CONTROL

TRIGGER

MIL-SPEC TRIGGER

OPERATING CONTROLS

MIL-SPEC CHARGING HANDLE AND SAFETY SELECTOR

MAGAZINE

30-ROUND FN POLYMER MAGAZINE

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
36-100740	FN 15 GUARDIAN BLK, 1X30	845737016982

FULL FN 15® GUARDIAN™ SPECS: PAGE 92 – ACCESSORIES 84

LEARN MORE>>>

FN 15® SERIES

For U.S. sales only. For consumer and law enforcement sales.

PRIMARY FEATURES

16-INCH GOVERNMENT PROFILE, CHROME-LINED, COLD HAMMER-FORGED BARREL MADE FROM FN'S PROPRIETARY STEEL

M16-STYLE MIL-SPEC BOLT CARRIER GROUP AND HPT/MPI-TESTED BOLT MADE FROM CARPENTER 158 IN MIL-SPEC LOWER RECEIVER

MID-LENGTH GAS SYSTEM WITH H BUFFER AND PINNED GAS BLOCK

RECEIVER

MIL-SPEC FORGED ALUMINUM RECEIVER IN BLACK ANODIZE

MID-LENGTH GAS SYSTEM WITH H BUFFER, PINNED GAS BLOCK

M16-STYLE BOLT CARRIER GROUP MADE FROM 8620 STEEL

HPT/MPI-TESTED AND CERTIFIED BOLT MADE FROM CARPENTER 158

GAS KEYS PROPERLY SEALED, TORQUED AND STAKED ACCORDING TO MIL-SPEC

BARREL

16-INCH GOVERNMENT PROFILE CHROME-LINED, COLD HAMMER-FORGED BARRE; 1:7 TWIST

FN PROPRIETARY CMV BARREL STEEL, DIN SPEC 21CRMOV5-11

HIGH PRESSURE TESTED, MPI AFTER PROOF FIRING

A2-STYLE MUZZLE DEVICE

FULLY FREE-FLOATED

HANDGUARD

CONTINUOUS PICATINNY RAIL AT 12 O'CLOCK POSITION

MULTIPLE M-LOK SLOTS AT 3, 6, 9 O'CLOCK POSITIONS

FURNITURE

CUSTOM FN 6-POSITION, SNAG FREE, BUTTSTOCK WITH RUBBER BUTT PAD, INTEGRATED QD ATTACHMENT POINT

ERGONOMIC FN PISTOL GRIP AT 19.5° ANGLE, AGGRESSIVE TEXTURING FOR SECURE GRIP

OPERATING CONTROLS

FULLY AMBIDEXTROUS RADIAN RAPTOR-LT CHARGING HANDLE

FULLY-AMBIDEXTROUS RADIAN TALON LONG AND SHORT MODULAR SAFETY SELECTOR THAT IS REVERSIBLE WITH PRECISION MACHINED DOVETAIL INTERFACE AND SPRING-LOADED RETENTION STUD TO LOCK LEVER IN PLACE

MIL-SPEC-STYLE MAGAZINE AND BOLT RELEASE

MAGAZINE

30-ROUND FN POLYMER MAGAZINE

FN 15® TAC3

LIGHTWEIGHT HANDGUARD WITH HODGE-STYLE WEDGE-LOCK TECHNOLOGY AND PROPRIETARY BARREL NUT FOR AN EXTREMELY RIGID SETUP AND FOR A FULLY FREE-FLOATED BARREL

ALSO AVAILABLE IN FACTORY CERAKOTE FINISH (FDE OR GRAY)

EXTREMELY RIGID 14 5/8 IN. HODGE DEFENSEB DESIGNED WEDGE LOCK HANDGUARD COMPOSED OF 6061 ALUMINUM WITH PROPRIETARY BARREL NUT AND ANTI-ROTATION TECHNOLOGY RESULTING IN MINIMAL DEFLECTION

CALIBER: 5.56 X 45MM | MAGAZINE: 30 RD.

BARREL LENGTH: 16”

OVERALL LENGTH: 33”-36.2”

WEIGHT: 7 LB. (EMPTY)

FN 15® TAC3 DUTY

LIGHTWEIGHT 15-INCH ALUMINUM HANDGUARD WITH CONTINUOUS 12 O'CLOCK PICATINNY RAIL SPACE, 5 INTEGRATED QD ATTACHMENT POINTS AND MULTIPLE M-LOK SLOTS AT 3, 6 AND 9 O'CLOCK

CALIBER: 5.56 X 45MM | MAGAZINE: 30 RD.

BARREL LENGTH: 16”

OVERALL LENGTH: 33”-36.2”

WEIGHT: 6.5 LB. (EMPTY)

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
36-100632	FN15 TAC3 CARBINE BLACK	845737013721
36-100642	FN15 TAC3 CARBINE FDE	845737013738
36-100652	FN15 TAC3 CARBINE GRAY	845737013745
36-100658	FN15 TAC3 DUTY CARBINE	845737013714

FULL FN 15® TAC3 SPECS: PAGE 92 – ACCESSORIES 84

LEARN MORE>>>

FN 15® SRP G2

For U.S. sales only. For consumer and law enforcement sales.

CALIBER: 5.56X45MM | MAGAZINE: 30 RD.

BARREL LENGTH: 16"

STOCK COLOR: BLACK

OPERATION: DIRECT IMPINGEMENT

OVERALL LENGTH: 32"-35.2"

PRIMARY FEATURES

LIGHTWEIGHT CARBINES WITH MAXIMUM 12 O'CLOCK RAIL SPACE

CHROME LINED BARREL WITH PINNED LOW-PROFILE GAS BLOCK

M16 STYLE BOLT CARRIER, BOLT MPI INSPECTED AND MARKED

RECEIVER

HARD COAT ANODIZED ALUMINUM

FLAT-TOP RECEIVER, MIL-STD-1913 RAIL AT THE 12 O'CLOCK POSITION

FREE FLOAT HAND GUARD, WITH FULL LENGTH 12 O'CLOCK

PICATINNY RAIL FIVE BUILT-IN QD POINTS

HAND GUARD LENGTH 15" FOR THE 16" BARREL

M-LOK SLOTS AT 3-6-9 O'CLOCK TRIGGER TWO-STAGE MATCH TRIGGER (GEISSELE® "SUPER SCAR")

BARREL

16-INCH BUTTON RIFLED BARREL MIDLENGTH GAS SYSTEM, LOW PROFILE GAS BLOCK PINNED TO BARREL

HIGH PRESSURE TESTED AND MPI AFTER PROOF FIRING

HARD CHROME PLATE CHAMBER AND BORE,

MANGANESE PHOSPHATE EXTERIOR

A2-STYLE COMPENSATOR

1:7" RH TWIST 16-INCH BUTTON RIFLED BARREL MIDLENGTH GAS

SYSTEM, LOW PROFILE GAS BLOCK PINNED TO BARREL

HIGH PRESSURE TESTED AND MPI AFTER PROOF FIRING

HARD CHROME PLATE CHAMBER AND BORE

MANGANESE PHOSPHATE EXTERIOR

A2-STYLE COMPENSATOR

1:7" RH TWIST

STOCK

COLLAPSIBLE, 6-POSITION WITH SLING MOUNT

TRIGGER

FN COMBAT TRIGGER

OPERATING CONTROLS

SEMI-AUTOMATIC MIL-SPEC STYLE TRIGGER

MIL-SPEC STYLE SELECTOR, BOLT CATCH AND

MAGAZINE RELEASE

MAGAZINE

ALUMINUM BODY, LOW FRICTION FOLLOWER,

AR-STYLE 30 ROUND CAPACITY

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
36-100608	FN 15® 16IN SRP G2 CARBINE	845737012885

FN 15® SRP G2 SPECS: PAGE 92 – ACCESSORIES 84

LEARN MORE>>>

FN 15® PATROL CARBINE M-LOK

For U.S. sales only. For consumer and law enforcement sales.

CALIBER: 5.56X45MM | MAGAZINE: 30 RD.

BARREL LENGTH: 16”

STOCK COLOR: BLACK

OPERATION: DIRECT IMPINGEMENT

OVERALL LENGTH: 32’’-35.2’’

PRIMARY FEATURES

CHROME LINED BARREL WITH PINNED FIXED FRONT SIGHT GAS BLOCK

M16 STYLE BOLT CARRIER, BOLT MPI INSPECTED AND MARKED

FIXED FRONT AND METAL FOLD DOWN REAR SIGHTS

RECEIVER

UPPER AND LOWER RECEIVER ARE MADE FROM 7075-T6 ALUMINUM FORGINGS

HARD COAT ANODIZE, MIL-STD-171

BARREL

5.56X45MM NATO CHAMBER

BUTTON RIFLED 1:7 TWIST BARREL

HIGH PRESSURE TESTED AND MPI AFTER PROOF FIRING

HARD CHROME PLATE CHAMBER AND BORE, MANGANESE PHOSPHATE EXTERIOR

TWO PIECE, M-LOK HAND GUARD

STOCK

COLLAPSIBLE, 6-POSITION WITH SLING MOUNT

OPERATING SYSTEM

DIRECT IMPINGEMENT CARBINE LENGTH GAS SYSTEM M16 STYLE BOLT CARRIER WITH STAKED GAS KEY, CHROMED WHERE GAS RINGS OPERATE

BOLT IS HIGH PRESSURE TESTED, MPI INSPECTED AND MARKED

H BUFFER

CONTROLS

SEMI-AUTOMATIC MIL-SPEC STYLE TRIGGER

MIL-SPEC STYLE SELECTOR, BOLT CATCH AND MAGAZINE RELEASE

MAGAZINE

ALUMINUM BODY, LOW FRICTION FOLLOWER,

AR-STYLE 30 ROUND CAPACITY

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
36-100618	FN15 PATROL CARBINE M-LOK	845737013103

FN 15® PATROL CARBINE M-LOK SPECS: PAGE 92 – ACCESSORIES 84

LEARN MORE>>>

FIRE
SAFE

FN 15® DMR3

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer and law enforcement sales.

PRIMARY FEATURES

18-INCH HYBRID PROFILE BARREL, CHROME-LINED WITH 1:8 TWIST, MADE FROM FN'S PROPRIETARY "MACHINE GUN BARREL" STEEL

GEISSELE G2S 2-STAGE PRECISION TRIGGER

SUREFIRE PROCOMP MUZZLE DEVICE

RECEIVER

MIL-SPEC FORGED ALUMINUM RECEIVER IN EITHER BLACK ANODIZE OR FACTORY CERAKOTE FINISH (FDE OR GRAY)

RIFLE-LENGTH GAS SYSTEM WITH H BUFFER AND PINNED GAS BLOCK

M16-STYLE BOLT CARRIER GROUP MADE FROM 8620 STEEL

HPT/MPI-TESTED AND CERTIFIED BOLT MADE FROM CARPENTER 158

GAS KEYS PROPERLY SEALED, TORQUED AND STAKED ACCORDING TO MIL-SPEC

BARREL

FULLY FREE-FLOATED 18-INCH HYBRID PROFILE BARREL WITH 1:8 TWIST, CHROME-LINED FOR LONGEVITY

FN PROPRIETARY CMV BARREL STEEL

HIGH PRESSURE TESTED, MPI AFTER PROOF FIRING

SUREFIRE PROCOMP MUZZLE BRAKE

HANDGUARD

14.6" FREE FLOAT HANDGUARD, HODGE DEFENSE WEDGE-LOCK FOR RIGIDITY

CONTINUOUS PICATINNY RAIL AT 12 O'CLOCK POSITION

MULTIPLE M-LOK SLOTS AT 3, 6, 9 O'CLOCK POSITIONS FOR LIGHTS, LASERS AND OTHER ACCESSORIES.

FURNITURE

CUSTOM FN 6-POSITION, SNAG-FREE BUTTSTOCK WITH RUBBER BUTT PAD AND INTEGRATED QD ATTACHMENT POINT

ERGONOMIC FN PISTOL AT 19.5-DEGREE GRIP ANGLE AND AGGRESSIVE TEXTURING FOR SECURE GRIP

TRIGGER

2-STAGE GEISSELE GS2 TRIGGER, TOTAL TRIGGER PULL RANGE 4.25 – 4.75LBS (STAGE 1, 2.75-3LBS; STAGE 2, 1.5-1.75LBS)

OPERATING CONTROLS

AMBIDEXTROUS RADIAN RAPTOR-LT CHARGING HANDLE AND SAFETY SELECTOR

MIL-SPEC-STYLE MAGAZINE AND BOLT RELEASE

MAGAZINE

30-ROUND FN POLYMER MAGAZINE

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
36-100669	FN15 DMR3 BLACK	845737015350
36-100676	FN15 DMR3 FDE	845737015367
36-100683	FN15 DMR3 GRAY	845737015374

FULL FN 15® DMR3 SPECS: PAGE 92 – ACCESSORIES 84

LEARN MORE>>>

FN 15® MILITARY COLLECTOR M4/M16

For U.S. sales only. For consumer, law enforcement, and military sales.

PRIMARY FEATURES

SEMI-AUTOMATIC ONLY

FAITHFUL COPIES OF THE TRUE, CURRENT, GOVERNMENT-ISSUE RIFLES

RECEIVER

HARD-ANODIZED ALUMINUM

FLAT-TOP RECEIVER; MIL-STD-1913 RAIL AT THE 12 O'CLOCK POSITION

A2-STYLE FRONT SIGHT; ADJUSTABLE REAR SIGHT

UID LABEL

BARREL

BUTTON-BROACHED, CHROME-LINED BARREL

A2-STYLE COMPENSATOR (PERMANENTLY ATTACHED ON M4 MODEL)

1:7" RIGHT-HAND TWIST

SIDE SLING SWIVEL ATTACHMENT (M4 ONLY)

STOCK

COLLAPSIBLE SIX-POSITION WITH SLING MOUNT ON THE M4

FIXED A2-STYLE BUTTSTOCK ON THE M16

KNIGHT'S ARMAMENT RAS WITH RAIL PANELS

FORWARD PISTOL GRIP

OPERATING CONTROLS

ERGONOMIC MAGAZINE RELEASE

FORWARD ASSIST

AMBIDEXTROUS SAFETY SELECTOR SWITCH

MAGAZINE

ALUMINUM BODY

LOW-FRICTION FOLLOWER

AR-STYLE

30-ROUND CAPACITY

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
36318	M4 MILITARY COLLECTOR 5.56MM 1X30	845737006211
36320	M16 MILITARY COLLECTOR 5.56MM 1X30	845737005061

FN 15® MILITARY COLLECTOR M4
CALIBER: 5.56X45MM | MAGAZINE: 30 RD.
BARREL LENGTH: 16.1"
OVERALL LENGTH: 34.0" (EXTENDED); 30.75" (COLLAPSED)
WEIGHT: 6.64 LB. (EMPTY)

FN 15® MILITARY COLLECTOR M16
CALIBER: 5.56X45MM | MAGAZINE: 30 RD.
BARREL LENGTH: 16.25"
STOCK COLOR: FLAT DARK EARTH OR MATTE BLACK
OVERALL LENGTH: 38.5" (EXTENDED); 28.5" (COLLAPSED)

FULL FN 15® M4/M16 MILITARY COLLECTOR SPECS: PAGE 92

LEARN MORE>>>

FN M249S®/ FN M249S® PARA

For U.S. sales only. For consumer and law enforcement sales.

FN M249S® PARA
CALIBER: 5.56X45MM | MAGAZINE: 200-ROUND
LINKED AMMUNITION BELT OR 30-ROUND MAGAZINE

BARREL LENGTH: 16.1" | OVERALL LENGTH: 31.5"-37"

WEIGHT: 16.9 LB. (EMPTY) | AVAILABLE IN FLAT DARK EARTH AND BLACK

FN M249S®
CALIBER: 5.56X45MM | MAGAZINE: 200-ROUND
LINKED AMMUNITION BELT OR 30-ROUND MAGAZINE

BARREL LENGTH: 18.5" | OVERALL LENGTH: 41"

WEIGHT: 17.2 LB. (EMPTY)

PRIMARY FEATURES

- SEMI-AUTOMATIC REPLICA OF THE GOVERNMENT-ISSUE FN® M249 SAW AND FN® M249 PARA
- SEMI-AUTOMATIC ONLY
- CLOSED-BOLT OPERATION
- 200-ROUND LINKED AMMUNITION BELT OR 30-ROUND MAGAZINE
- ROBUST GAS PISTON SYSTEM

RECEIVER

- FORMED STEEL FRAME
- FOLDING STEEL BIPOD
- FOLDING CARRY HANDLE
- FLIP-UP FEED TRAY COVER AND FEED MECHANISM
- TOP-COVER INTEGRATED MIL-STD-1913 RAIL SYSTEMS FOR OPTICS

BARREL

- COLD HAMMER-FORGED STEEL
- HARD CHROME-PLATED BORE AND CHAMBER
- QUICK-CHANGE BARREL CAPABILITY
- REMOVABLE HEATSHIELD

STOCK

- ERGONOMIC BUTTSTOCK CONTAINS HYDRAULIC BUFFER THAT ALLOWS USER TO MAINTAIN HIGH RATE OF FIRE WITH ACCURACY AND EFFECT

OPERATING CONTROLS

- CROSSBOLT SAFETY
- REDESIGNED TRIGGER MECHANISM FOR SEMI-AUTOMATIC FIRE
- NON-RECIPROCATING CHARGING HANDLE

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
46-100169	FN M249S STANDARD BLACK	845737015077
46-100170	FN M249S STANDARD FDE	845737015091
46-100171	FN M249S PARA BLACK	845737015084
46-100172	FN M249S PARA FDE	845737015107

LEARN MORE>>>

FULL FN M249S®/FN M249S® PARA SPECS: PAGE 92

Fabrique Nationale Herstal BELGIUM

FN® PS90™

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PRIMARY FEATURES

BULLPUP DESIGN

RECEIVER

BOTTOM EJECTION PORT WITH DUST COVER

BLOWBACK-OPERATED ACTION

ALLOY UPPER RECEIVER AND BARREL SUPPORT

MIL-STD-1913 ACCESSORY RAIL

BACKUP IRON SIGHTS

BARREL

COLD HAMMER-FORGED, CHROME-LINED BARREL

PORTED FLASH SUPPRESSOR

STOCK

SYNTHETIC THUMBHOLE BULLPUP DESIGN

FORWARD HANDSTOP

MOLDED-IN REAR SLING ATTACHMENT POINT

OPERATING CONTROLS

AMBIDEXTROUS CHARGING HANDLE

SLIDING TRIGGER

AMBIDEXTROUS SAFETY SWITCH INSIDE TRIGGER GUARD

ENLARGED TRIGGER GUARD

AMBIDEXTROUS MAGAZINE RELEASE

MAGAZINE

TRANSLUCENT POLYMER BODY

CALIBER: 5.7X28MM | MAGAZINE: 10/30 RD.

BARREL LENGTH: 16.1”

STOCK COLOR: MATTE BLACK

SIGHTS: BACKUP IRON

OVERALL LENGTH: 26.23”

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC
3848950440	PS90 STD BK 1X10	818513009201
3848950460	PS90 STD BK 1X30	818513009218

FULL FN® PS90™ SPECS: PAGE 92 – ACCESSORIES 84
TO LEARN MORE ABOUT THE FN 5.7X28 MM, GO TO PAGE 82

LEARN MORE>>>

FN 5.7X28MM AMMUNITION®

AS9100C/EN9100:2009 certified. For law enforcement sales only.

THE NEW BENCHMARK IN AMMO PERFORMANCE

ISO 9001 QUALITY

FULLY COMPATIBLE WITH A WIDE VARIETY OF FN FIREARMS, INCLUDING THE FN FIVE-SEVEN® PISTOLS, FN® PS90™ CARBINES AND FN P90® SUBMACHINE GUNS, THE 5.7X28MM CARTRIDGE HAS BEEN SPECIALLY TAILORED TO EXCEL IN SEVERAL SPECIALIZED ROLES. THE SS195 LF AND SS198 LF ROUNDS USE AN INNOVATIVE, LIGHTWEIGHT, BRASS-JACKETED, ALUMINUM CORE HOLLOW POINT BULLET. THE SS197SR, DISTRIBUTED IN THE U.S. BY FEDERAL CARTRIDGE COMPANY, IS IDEALLY SUITED FOR SPORTS AND TRAINING APPLICATIONS.

FN ALSO OFFERS 5.7X28MM RESTRICTED AMMUNITION (DUTY, TRACER, SUBSONIC) FOR LAW ENFORCEMENT AND MILITARY SALES ONLY. THE SS190 DUTY ROUND HAS BEEN DESIGNED TO MINIMIZE THE RISK OF OVER-PENETRATION. THE L191 TRACER AND SB193 SUBSONIC ROUNDS, AS WELL AS BLANK ROUNDS FOR TRAINING AND SIMULATIONS ARE ALSO AVAILABLE FROM FN. ALL RESTRICTED AMMUNITION IS ONLY RELEASED AND SHIPPED FROM A U.S. CUSTOMS-CONTROLLED BONDED WAREHOUSE (CBW) UPON BATFE AND U.S. CUSTOMS APPROVAL.

CROSS-SECTION OF THE UNRESTRICTED LEAD-FREE 5.7x28mm CARTRIDGES

SS195LF

PROD #: 10700012

TYPE: 27 GR. LEAD-FREE HOLLOW POINT

INTENDED PURPOSE:

CONSUMER/TARGET/SPORTING

CASE QTY: 2,000

U.S. DISTRIBUTION: FN AMERICA

AVAILABILITY: UNRESTRICTED

SS198LF

PROD #: 10700021

TYPE: 27 GR. LEAD-FREE TRAINING

INTENDED PURPOSE:

LAW ENFORCEMENT/MILITARY

CASE QTY: 2,000

U.S. DISTRIBUTION: FN AMERICA

AVAILABILITY: LE RESTRICTED

THE HOLLOW POINT JACKETS CONTAIN A LEAD-FREE METAL CORE. THE PRIMER COMPOUND IS ALSO LEAD-FREE, MAKING EITHER ROUND IDEAL FOR ANY LOCATION WHERE LEAD CONTAMINATION IS TO BE AVOIDED.

FEDERAL PREMIUM® AMMUNITION

SS197SR

PROD #: 10700016

TYPE: 40 GR. POLYMER-TIPPED SPORTING
INTENDED PURPOSE:
CONSUMER/TARGET/SPORTING
CASE QTY: 2,000
U.S. DISTRIBUTION:
FEDERAL PREMIUM® AMMUNITION
AVAILABILITY: UNRESTRICTED

BLANK

PROD #: 10700004

TYPE: BLANK
INTENDED PURPOSE:
TRAINING/SIMULATION
CASE QTY: 500
U.S. DISTRIBUTION: FN AMERICA
AVAILABILITY: UNRESTRICTED

DUMMY

PROD #: 10700005

TYPE: TRAINING
INTENDED PURPOSE:
INERT TRAINING ROUND
CASE QTY: 50
U.S. DISTRIBUTION: FN AMERICA
AVAILABILITY: UNRESTRICTED

SS190

PROD #: 10700000

TYPE: 31 GR. FMJ DUTY ROUND
INTENDED PURPOSE:
LAW ENFORCEMENT/MILITARY
CASE QTY: 500
U.S. DISTRIBUTION: FN AMERICA
AVAILABILITY: GOVT. RESTRICTED

L191

PROD #: 10700001

TYPE: 31 GR. FMJ TRACER
INTENDED PURPOSE:
LAW ENFORCEMENT/MILITARY
CASE QTY: 500
U.S. DISTRIBUTION: FN AMERICA
AVAILABILITY: GOVT. RESTRICTED

SB193

PROD #: 10700003

TYPE: 62 GR. FMJ SUBSONIC
INTENDED PURPOSE:
LAW ENFORCEMENT/MILITARY
CASE QTY: 500
U.S. DISTRIBUTION: FN AMERICA
AVAILABILITY: GOVT. RESTRICTED

PRODUCT INFORMATION

ITEM	PRODUCT DESCRIPTION	UPC CODE
10700012	SS195LF 5.7X28MM 2000RD/CS	818513002936
10700016	SS197SR 5.7X28MM 2000RD/CS	818513003605

LEARN MORE>>>

ACCESSORIES

FN 15®
CARBINE
UPPER
ASSEMBLY

FN 15®
RIFLE
UPPER
ASSEMBLY

FN SCAR®
16S 10"
BARREL
ASSEMBLY

FN SCAR®
17S 20"
BARREL
ASSEMBLY

FN SOFT CASES

FN M249S® ACCESSORIES

FN 509®/FN SCAR® 17 MAGAZINES

GEAR UP AT fnestore.com

AMMUNITION

PRODUCT NUMBER	PRODUCT	UPC	MSRP
10700012	SS195LF 5.7x28mm 2000rd/cs	818513002936	$2,199.00
10700016	SS197SR 5.7x28mm 2000rd/cs	818513003605	$2,199.00

SOFT CASES

PRODUCT NUMBER	PRODUCT	UPC	MSRP
20-100107	Pistol Mag. Pouch, Black Hook & Loop	845737008710	$7.99
20-100093	Molle Panel, 6X5", Black Hook & Loop	845737008703	$7.99
20-100095	Suppressor Pouch, 7" Bla Hook & Loop	845737008680	$7.99
20-100097	Accessory Pouch, Black Hook & Loop	845737008697	$7.99
20-100099	SCAR 17 Mag Pouch, Black Hook & Loop	845737008666	$7.99
20-100101	AR Mag. Pouch, Black Hook & Loop	845737008642	$7.99
20-100105	Muzzle Pouch, , Black Hook & Loop	845737008635	$7.99
66146	Tactical Pistol Case FDE	845737005276	$69.99
66263	Tactical Pistol Case Bk	845737005283	$69.99
20-100103	PS90 Mag. Pouch, Black Hook & Loop	845737008673	$10.99
20-100035-1	Pistol Soft Case Black	845737008017	$21.99
20-100035-2	Pistol Soft Case Tan	845737008024	$21.99
20-100035-3	Pistol Soft Case Grey	845737008031	$21.99
20-100111	Discreet 36" Case, Black 36x13x4"	845737008338	$119.99
20-100113	Discreet 36" Case, FDE 36x13x4"	845737008352	$119.99
20-100115	Discreet 28" Case, Black 28x13x4"	845737008345	$109.99
20-100117	Discreet 28" Case, FDE 28x13x4"	845737008581	$109.99
20-100119	Discreet 20" Case, Black 20x13x4"	845737008734	$89.99
20-100121	Discreet 20" Case, FDE 20x13x4"	845737008598	$89.99
20-100085	Adj. Strap 11", Black Hook & Loop	845737008628	$7.99
20-100087	Adj. Strap 15", Black Hook & Loop	845737008611	$7.99
20-100089	Adj. Strap 19", Black Hook & Loop	845737008604	$7.99
20-100091	Document Holder Hook & Loop	845737008727	$7.99

PISTOL ACCESSORIES

PRODUCT NUMBER	PRODUCT	UPC	MSRP
20-100502	FN 502, .22LR MAG 10RD	845737013448	38.99
20-100503	FN 502, .22LR MAG 15RD	845737013455	38.99
20-100507	FN 503 9mm Magazine 6 RD FDE	845737013479	44.99
20-100508	FN 503 9mm Magazine 8 RD FDE	845737013486	$44.99
20-100261	FN 503 9mm Magazine 8RD BLK	845737009090	$44.99
20-100262	FN 503 9mm Magazine 6 RD BLK	845737009106	$44.99
20-100568	MAGAZINE, FN HIGH POWER, 9MM, 17RD, BLK	845737014506	$55.99
20-100570	MAGAZINE, FN HIGH POWER, 9MM, 17RD, FDE	845737014131	$55.99
20-100572	MAGAZINE, FN HIGH POWER, 9MM, 10RD, BLK	845737014155	$55.99
20-100574	MAGAZINE, FN HIGH POWER, 9MM, 10RD, FDE	845737014179	$55.99
20-100681	FIVE-SEVEN MAG 10RD (MRD)	845737015572	$44.99
20-100682	FIVE-SEVNN MAG 20RD (MRD)	845737015459	$44.99
3866100030	FIVE-SEVEN MAG 20RD (MK2)	818513003018	$44.99
3866100320	FIVE-SEVEN MAG 10RD (MK2)	818513002523	$44.99
20-100032-1	FN 509, 9MM MAG, 17RD, BLK	845737007768	$54.99
20-100032-2	FN 509, 9MM MAG, 10RD, BLK	845737007775	$54.99
20-100355	FN 509M 9MM Mag 17RD BK Sleeve BK	845737010164	$11.99
20-100356	FN 509M 9MM Mag 24RD SLEEVE BK	845737010171	$11.99
20-100375	FN 509C 9MM Mag 12RD BLK Pinky	845737010331	$54.99
20-100376	FN 509C 9MM Mag 12RD FDE Pinky	845737010348	$54.99
20-100377	FN 509C 9MM Mag 10RD BLK Pinky	845737010355	$54.99
20-100378	FN 509C 9MM Mag 10RD FDE Pinky	845737010362	$54.99
20-100379	FN 509C 9MM Mag 15RD BLK	845737010393	$54.99
20-100380	FN 509C 9MM Mag 15RD FDE	845737010409	$54.99
20-100510	FN 509C, 9MM MAG 17RD BLK	845737013509	$54.99
20-100511	FN 509C, 9MM MAG 17RD FDE	845737013516	$54.99
20-100383	FN 509C 9MM Mag 24RD Sleeve Blk	845737010430	$11.99
20-100655	FN 509 CC EDGE 9MM MAG 12RD GREY	845737015527	$84.99
20-100656	FN 509 CC EDGE 9MM MAG 15RD GREY	845737015480	$84.99
20-100657	FN 509 CC EDGE 9MM MAG 10RD GREY	845737015466	$84.99
20-100478	FN 509 LS EDGE 9MM MAG 17RD GREY	845737012267	$84.99
20-100479	FN 509 LS EDGE 9MM MAG 10RD GREY	845737012274	$84.99
20-100509	FN 509C 17RD SLEEVE FDE	845737013493	$11.99
20-100423	FN 509, 9MM MAG KIT 24RD	845737011666	$67.99

PISTOL ACCESSORIES

PRODUCT NUMBER	PRODUCT	UPC	MSRP
20-100478	FN 509 LS EDGE 9MM MAG 17RD GREY	845737012267	$84.99
20-100479	FN 509 LS EDGE 9MM MAG 10RD GREY	845737012274	$84.99
20-100346-1	FN 509, 9MM MAG 17RD FDE	845737010089	$54.99
20-100346-2	FN 509, 9MM MAG 10RD FDE	845737010096	$54.99
20-100348	FN 509M 9MM Mag 15RD BK	845737010126	$54.99
20-100349	FN 509M 9MM Mag 10RD BK	845737010386	$54.99
20-100055	FN 509 Backstrap SM BK	845737008437	$11.99
20-100056	FN 509 Backstrap, Med BK	845737008543	$11.99
20-100057	FN 509 Backstrap LRG BK	845737008574	$11.99
20-100058	FN 509 Backstrap Set, Bk	845737008383	$26.99
20-100353	FN 509M Backstrap Set BK	845737010140	$26.99
20-100381	FN 509C Backstrap Set BLK	845737010416	$26.99
20-100382	FN 509C Backstrap Set FDE	845737010423	$26.99
66322-1	FNX-45 Mag 10rd Bk	845737002558	$55.99
66322-2	FNX-45 Mag 10rd FDE	845737002565	$55.99
66322-5	FNX-45 Mag 15rd Bk	845737002541	$55.99
66322-6	FNX-45 Mag 15rd FDE	845737002534	$55.99
47694-2	FNX-9 Mag 17rd Bk	845737000356	$55.99
47694-4	FNX-9 Mag 10rd Bk	845737002510	$55.99
20-100588	GRIPS, FN HIGH POWER, G10 BLACK	845737014315	$79.99
20-100590	GRIPS, FN HIGH POWER, G10 BLACK CHERRY	845737014339	$79.99
20-100592	GRIPS, FN HIGH POWER, WALNUT	845737014353	$99.99
20-100622	GRIPS, FN HIGH POWER, G10 BLACK-BLUE	845737014698	$79.99
20-100624	GRIPS, FN HIGH POWER, G10 HYENA BROWN	845737014711	$79.99
20-100626	GRIPS, FN HIGH POWER, G10 DIRTY OLIVE	845737014735	$79.99
20-100628	GRIPS, FN HIGH POWER, OAK	845737014759	$99.99
20-100065	Grip Extension Base Pad FDE	845737008529	$7.99
67198	Magazine Sleeve, Bk	845737006075	$11.99
67199	Grip Extension Base Pad	845737006082	$8.99
20-100066	Magazine Sleeve FDE	845737008130	$11.99
20-100067	Magazine Base Pad Flat FDE	845737008147	$7.99
67170-5	FN 509 Night Sight Set	845737008390	$152.99
20-100399	FN 509 AIMPOINT® ACRO MRD Kit	845737010980	$26.99
20-100291-1	FN 509 Height Sights For Suppressor- NO DOT	845737009854	$64.99
20-100291-3	FN509 Suppressors NS Heights Sights	845737009175	$164.99
67170-2	FNX/FNS-40 Night Sight Set	845737004934	$153.00
67170-3	FNX-45 Std Night Sight Set	845737004941	$152.99

PISTOL ACCESSORIES

PRODUCT NUMBER	PRODUCT	UPC	MSRP
67170-4	FNX-45 Tact Night Sight Set	845737004958	$174.99
20-100290	FN509 Thread Protector	845737009212	$20.99
67207-1	FNX-45T Thread Protector	845737005863	$20.99
67206-11	FNX-45T Barrel Bk w/ TP	845737005856	$259.00
67206-9	FNX-45 Std Barrel Bk	845737005955	$198.99
67206-1	FNS/FNX-9 Barrel Bk 4"	845737005894	$142.00
67206-2	FNS/FNX-9 Barrel SS 4"	845737005900	$142.00
67206-3	FNS/FNX-40 Barrel Bk 4"	845737005931	$142.00
67206-4	FNS/FNX-40 Barrel SS 4"	845737005948	$142.00
67205-10	FNX-9 Slide Assy SS	845737005764	$424.00
67205-9	FNX-9 Slide Assy Bk	845737005757	$424.00
67205-11	FNX-40 Slide Assy Bk	845737005771	$424.00
67205-12	FNX-40 Slide Assy SS	845737005801	$424.00
67205-13	FNX-45 Slide Assy Bk	845737005818	$515.00
67205-14	FNX-45 Slide Assy SS	845737005825	$515.00
67205-15	FNX-45T Slide Assy Bk	845737005832	$799.00
67205-16	FNX-45T Slide Assy FDE	845737005849	$799.00

RIFLE ACCESSORIES

PRODUCT NUMBER	PRODUCT	UPC	MSRP
98880	SCAR 16S Mag 30rd FDE FS2000	818513009560	$35.99
98881	SCAR 16S Mag 10rd Bk FS2000	845737000615	$35.99
98882	SCAR 16S Mag 30rd Bk FS2000	845737000554	$35.99
98889	SCAR 17S Mag 10rd FDE	845737003777	$55.99
98890	SCAR 17S Mag 20rd FDE	845737000028	$55.99
98891	SCAR 17S Mag 10rd Bk	845737002930	$55.99
98892	SCAR 17S Mag 20rd Bk	845737000035	$55.99

RIFLE ACCESSORIES

PRODUCT NUMBER	PRODUCT	UPC	MSRP
98802	SCAR 16S 10in Barrel Assembly	845737001087	$1,429.00
98804	SCAR 16S 14in Barrel Assembly	845737001094	$1,429.00
98808	SCAR 16S 18in Barrel Assembly	845737001117	$1,649.00
98814	SCAR 17S 13in Barrel Assembly	845737002657	$1,649.00
98818	SCAR 17S 20in Barrel Assembly	845737002671	$1,649.00
20-100484	SCAR20S Barrel 6.5 CM 20",1:8" twist with MB	845737013011	$1,999.00
20-100485	SCAR20S Barrel 7.62x51 20",1:10" twist with MB	845737012946	$1,999.00
3810110093	PS90 Mag 50rd	818513001656	$53.99
3816101040	PS90 Mag 10rd	818513003667	$53.99
3816101050	PS90 Mag 30rd	818513003582	$53.99
3819999999	PS90 Magazine Pouch	818513002493	$263.99
3819400120	PS90 M1913 USG Rail Accessory	818513002202	$158.99
3819820010	PS90 Fired Case Collector	818513001618	$62.99
3819999997	Otis Cleaning Kit 5.7x28 FvsN PS90 [FG-223-57]	818513003230	$106.99
3058490010	PS90 Sight Adj Tool	818513002141	$57.00
3849999998	PS90 Side Accessory Rail	845737001353	$65.99
56471	M249/M249S 200 Ammo Box with 500 M27 Links	845737006983	$85.99
56485	M249/M249S 100rnd Soft Ammo Pack- Coyote Brown	845737006952	$95.99
56487	M249/M249S 200rnd Round Soft Ammo Pack-Coyote Br	845737006976	$109.99
56488	M249/M249S Cleaning Kit with Gages	845737006990	$989.99
56489	M249/M249S Sling with Hardware	845737007041	$75.99
56491	M249/M249S Cleaning Kit with Scraper Tool	845737007003	$199.99
20-100037	AR15 Barrel 10.5 BB M16 5.56 Carbine	845737008406	$285.00
20-100038	AR15 Barrel 14.7" BB M16 5.56 Midlength	845737008451	$285.00
20-100039	AR15 Barrel, 16" BB M16 5.56 Carbine	845737008505	$285.00
20-100041	AR15 Barrel, 16" BB M16 5.56 Midlength	845737008475	$285.00
20-100042	AR15 Barrel, 18" BB M16 5.56 RIFLE	845737008468	$285.00
20-100043	AR15 Barrel, 20" BB M16 5.56 RIFLE	845737008550	$285.00
20-100044	AR15 Barrel, 14.7" BB M4 5.56 Carbine	845737008567	$285.00
20-100046	AR15 Barrel, 16"BB M4 5.56 Carbine	845737008420	$285.00

RIFLE ACCESSORIES

PRODUCT NUMBER	PRODUCT	UPC	MSRP
20-100047	AR15 Barrel, 16" HF M4 5.56 Carbine	845737008376	$383.00
20-100405	AR15 Barrel, 14.7" HF M4 5.56 Carbine	845737011147	$383.00
36420	AR-15 HF Barrel, 14.7in 5.56mm, Carbine	845737005115	$383.00
36421	AR-15 HF Barrel, 16in 5.56mm, Carbine	845737005122	$383.00
36422	AR-15 HF Barrel, 16in 5.56mm, Mid	845737005139	$383.00
36423	AR-15 HF Barrel, 18in 5.56mm, Rifle	845737005146	$383.00
36424	AR-15 HF Barrel, 20in 5.56mm, Rifle	845737005153	$383.00
36426	FN15 16in Carbine Upper Receiver Assembly	845737005979	$879.00
36427	FN15 20in Rifle Upper Receiver Assembly	845737005986	$879.00

SUPPRESSORS

SUPPRESSOR MODELS	CALIBER	LENGTH (IN.)	TUBE DIAMETER (IN.)	WEGIHT (OZ.)	PISTON	MATERIAL	FINISH	COLOR
FN RUSH™ 9Ti	9mm	7.3	1.375	10.8	1/2"x28 TPI	Titanium, Stainless Steel, Aluminum	HT Cerakote™	FDE/BLK
FN CATCH 22™ Ti	.22 LR .22 MAG .22 WMR .17 HMR	5.25	1.12	5	1/2"x28 TPI	Titanium, Stainless Steel, Aluminum	HT Cerakote™	FDE/BLK

PISTOLS

PISTOL MODELS	CALIBER	CAPACITY (RD.)	ACTION	TRIGGER PULL (LB.)	LENGTH (IN.)	HEIGHT (IN.)	WIDTH (IN.)	BARREL LENGTH (IN.)	SIGHT RADIUS (IN.)	TWIST RATE (IN.)	WEIGHT (OZ.)	SIGHTS	FRAME COLOR	SLIDE FINISH
FN REFLEX™	9mm	11 & 15	Internal hammer fired SAO	4.5-5.5	6.2	4.27	1.08	3.3	5.05	1:10 RH	18.5	Steel dovetail front tritium with high visibility orange dot, rear double-dot	FDE/BLK	PVD, FDE/BLK
FN REFLEX™ MRD	9mm	11 & 15	Internal hammer fired SAO	4.5-5.5	6.2	4.27	1.08	3.3	5.05	1:10 RH	18.5	Steel dovetail front tritium, rear double-dot	FDE/BLK	PVD, FDE/BLK
FN 510™ MRD	10mm	10 or 15	DA, Striker fired	5.5 - 7.7	7.7	6	1.45	4.1	6.1	1:16 RH	31	All-black co-witness iron sights	FDE/BLK	FDE/BLK
FN 510™ TACTICAL	10mm	15 or 22	DA, Striker fired	5.5 - 7.7	8.3	6	1.45	4.71	6.1	1:16 RH	32	Suppressor height Trijicon 3-dot night sights	FDE/BLK	FDE/BLK
FN 545™ MRD	.45 ACP	10 or 15	DA, Striker fired	5.5 - 7.7	7.7	6	1.45	4.1	6.1	1:16 RH	30	All-black co-witness iron sights	FDE/BLK	FDE/BLK
FN 545™ TACTICAL	.45 ACP	15 or 18	DA, Striker fired	5.5 - 7.7	8.3	6	1.45	4.71	6.1	1:16 RH	31	Suppressor height Trijicon 3-dot night sights	FDE/BLK	FDE/BLK
FN HIGH POWER™	9mm	10 or 17	SA	4-6	8	5.625	1.35	4.67	6.375	1:10 RH	42.9	Drift Adjustable Day Sights	BLK/SS/FDE	BLK/SS/FDE
FNX™-9	9mm	10 or 17	DA/SA	8.8 - 12.1 or 3.96 - 5.06	7.4	5.45	1.55	4	5.9	1:10 RH	21.9	Fixed 3-dot sights	BLK	BLK
FNX™-45	.45 ACP	10 or 15	DA/SA	8.8 - 12.1 or 3.96 - 5.06	7.9	6.3	1.58	4.5	6.4	1:16 RH	33.2	Fixed 3-dot sights	FDE/BLK	FDE/BLK
FNX™-45 TACTICAL	.45 ACP	10 or 15	DA/SA	8.8 - 12.1 or 3.96 - 5.06	8.6	6.3	1.58	5.3	6.4	1:16 RH	33.3	Fixed 3-dot night sights	FDE/BLK	FDE/BLK
FNX™-45 TACTICAL FDE NT	.45 ACP	10	DA/SA	8.8 - 12.1 or 3.96 - 5.06	7.9	6.5	1.58	4.5	6.4	1:16 RH	33.2	Fixed 3-dot night sights	FDE/BLK	FDE/BLK
FN FIVE-SEVEN®	5.7x28mm	10 or 20	SA	4.4 - 7.87	8.2	5.7	1.4	4.8	7	1:9 RH	21	Adjustable 3-dot sights	FDE	FDE
FN FIVE-SEVEN® MRD	5.7x28mm	10 or 20	SA	4.4-7.87	8.2	5.6	1.35	4.8	7	1:9 RH	25.2	Photo-luminescent front sight with adjustable rear	FDE/BLK	FDE/BLK

PISTOLS

PISTOL MODELS	CALIBER	CAPACITY (RD.)	ACTION	TRIGGER PULL (LB.)	LENGTH (IN.)	HEIGHT (IN.)	WIDTH (IN.)	BARREL LENGTH (IN.)	SIGHT RADIUS (IN.)	TWIST RATE (IN.)	WEIGHT (OZ.)	SIGHTS	FRAME COLOR	SLIDE FINISH
FN 502™ MRD	.22LR	10	SA	~5	7	5.8	1.4	4	5.5	1:16 RH	22.5	Suppressor-height, fixed front and rear sights	FDE/BLK	FDE/BLK
FN 502™ TACTICAL	.22LR	10/15	SA	~5	7.6	5.8	1.4	4.6	5.5	1:16 RH	23.7	Suppressor-height, fixed front and rear sights	FDE/BLK	FDE/BLK
FN 509® COMPACT	9mm	10 or 12/15	DA	5.5 - 7.7	6.8	5/4.6	1.35	3.7	5.6	1:10 RH	25.5	Low-profile sights, high-vis front dot	FDE/BLK	FDE/BLK
FN 509® COMPACT MRD	9mm	10 or 12/15	DA	5.5 - 7.7	6.8	4.8	1.35	3.7	5.6	1:10 RH	25.5	All-black co-witness iron sights	FDE/BLK	FDE/BLK
FN 509® COMPACT TACTICAL	9mm	10 or 12/24	DA	5.5 - 7.7	7.4	4.8	1.35	4.32	5.6	1:10 RH	26.2	Suppressor-height Trijicon 3-dot night sights	FDE/BLK	FDE/BLK
FN 509 CC EGDE™	9mm	10 or 12/15	DA	4.5 -6.7	7.5	4.8	1.35	4.2	5.41	1:10 RH	25.5	Fiber optic front sight co-witnesses with MRD, blackout rear notch	BLK	Graphite PVD
FN 509® MIDSIZE	9mm	10 or 15	DA	5.5 - 7.7	7.4	5.2	1.35	4.0	5.8	1:10 RH	26.5	Fixed 3-dot luminescent sights	BLK	BLK
FN 509® MIDSIZE MRD	9mm	10 or 15	DA	5.5 - 7.7	7.4	5.2	1.35	4.0	5.8	1:10 RH	26.5	All-black co-witness iron sights	FDE/BLK	FDE/BLK
FN 509® MIDSIZE TACTICAL	9mm	10 or 15/24	DA	5.5 - 7.7	7.9	5.2	1.35	4.5	5.8	1:10 RH	27.9	Suppressor-height, fixed front and rear sights	FDE/BLK	FDE/BLK
FN 509®	9mm	10 or 17	DA	5.5 - 7.7	7.4	5.56	1.35	4.0	5.8	1:10 RH	26.9	Fixed 3-dot luminescent sights	FDE/BLK	FDE/BLK
FN 509® TACTICAL	9mm	10 or 17/24	DA	5.5 - 7.5	7.9	5.75	1.35	4.5	5.8	1:10 RH	27.9	Suppressor-height Trijicon 3-dot night sights	FDE/BLK	FDE/BLK
FN 509 LS EGDE™	9mm	10 or 17	DA	4.5 -6.7	8.2	5.9	1.35	5	6.7	1:10 RH	31	Fiber optic front sight co-witnesses with MRD, blackout rear notch	BLK	Graphite PVD
FN SCAR® 15P	5.56x45mm	10 or 30	Short-stroke gas piston	4.75-7.75	19.75	9.4	3.2	7.5			5.65 lb.		FDE/BLK	Type III Hardcoat Anodizing

RIFLES

SEMI-AUTO RIFLE/CARBINE MODELS	CALIBER	CAPACITY (RD.)	OPERATION	TRIGGER PULL (LB.)	LENGTH (IN.)	HEIGHT (IN.)	WIDTH (IN.)	BARREL LENGTH (IN.)	SIGHT RADIUS (IN.)	TWIST RATE (IN.)	WEIGHT (LB.)	SIGHTS	COLOR	STOCK TYPE
FN SCAR® 20S NRCH	7.62x51mm	10	Short-stroke gas piston	3.5 - 4.5	41-42.8	8	3.2	20		1:10 RH	11.6		BLK/FDE	Adjustable
FN SCAR® 20S NRCH	6.5 Creed-moor	10	Short-stroke gas piston	3.5 - 4.5	41-42.8	8	3.2	20		1:8 RH	11.6		BLK/FDE	Adjustable
FN SCAR® 17S NRCH	7.62x51mm	20	Short-stroke gas piston	4.75-7.75	28-38.5	9.75	3.2	16.25		1:12 RH	8.0	Adjustable folding front and folding/removable rear iron sights	BLK/FDE	Adjustable, folding
FN SCAR® 16S NRCH	5.56x45mm	10 or 30	Short-stroke gas piston	4.75-7.75	27.5 - 37.5	9.75	3.2	16.25		1:7 RH	7.25	Adjustable folding front and folding/removable rear iron sights	BLK/FDE	Adjustable, folding
FN 15® GUARDIAN™	5.56x45mm	30	Direct impingement	4.7-7.5	32.1-35.5	7.1	2.5	16	20	1:7 RH	6.6		BLK	Adjustable
FN 15® TAC3	5.56x45mm	30	Direct impingement	4.75-7.75	33 - 36.2	9	2.5	16	19.4	1:7 RH	7.0		BLK/FDE/GRAY	Adjustable
FN 15® TAC3 DUTY	5.56x45mm	30	Direct impingement	4.75-7.75	33 - 36.2	9	2.5	16	20	1:7 RH	6.5		BLK	Adjustable
FN 15® SRP G2	5.56x45mm	30	Direct impingement	4.75-7.75	32-35.2	10.25	2.75	16	20	1:7 RH	6.25	Front and rear fold down BUIS	BLK	Collapsible
FN 15® PATROL CARBINE M-LOK	5.56x45mm	30	Direct impingement	4.75-7.75	32 - 35.2	10.25	2.75	16	14.5	1:7 RH	6.5	Fixed front and metal fold down rear sights	FDE	Collapsible
FN® 15 DMR3	5.56x45mm	30	Direct impingement	4.25-4.75	35.25 - 38.5	9	2.5	18	19.4	1:8 RH	7.4		BLK/FDE/GRAY	Adjustable
FN 15® M4 MILITARY COLLECTOR	5.56x45mm	30	Direct impingement	4.75-7.75	30.5 - 34.2	10.25	2.5	16	14.5	1:7 RH	6.6	A2-style front, adjustable rear sight	BLK	Adjustable
FN 15® M16 MILITARY COLLECTOR	5.56x45mm	30	Direct impingement	4.75-7.75	39.5	10.25	2.5	20	20	1:7 RH	8.2	A2-style front, adjustable rear sight	BLK	Fixed
FN M249S® STANDARD	5.56x45mm	200 belt or 30 mag	SEMI-AUTOMATIC, CLOSED BOLT, long stroke gas piston	8.0-15.5	40.7	11.2	5.3	18.5	21.25	1:7 RH	17.2	M249 SAW Adjustable with BDC to 1000 meters	BLK/FDE	Fixed
FN M249S® PARA	5.56x45mm	200 belt or 30 mag	SEMI-AUTOMATIC, CLOSED BOLT, long stroke gas piston	8.0-15.5	31.5-37	11.2	5.3	16.1	21.25	1:7 RH	16.9	M249 SAW Adjustable with BDC to 1000 meters	BLK/FDE	Collapsable
FN® PS90™	5.7x28mm	10 or 30	Closed bolt, blowback	6-11	26.23	7.8	2.3	16		1:9 RH	6.28	iron sight	BLK	

FN CUSTOMER CONTACT

The 2024 FN product line has much to offer our customers. If you have any questions about the products within this catalog, purchasing information, or company programs, contact us at:

1.800.635.1321 • INFO@FNAMERICA.COM • FNAMERICA.COM/CONTACT-US

3x
2x

FNAMERICA.COM